



 Marshalls

*Gardens and Driveways  
Collection*





*Make space for every moment*

## Your dream space starts here



### Inspiration Starts Here

- 6 Make Space for Every Moment
- 8 The Marshalls Way
- 10 4 Simple Steps to Get Started
- 12 Marshalls Register

### Garden Paving

#### Natural Stone Paving

- 17 Scoutmoor®
- 18 Sawn Versuro®
- 20 Granite Eclipse®
- 22 Antique Alverno®
- 23 Casarta Slate®
- 24 Towngate®
- 26 Natural Slate
- 27 Alvanley® Pavers
- 28 Limestone Aluri®
- 30 Indian Sandstone Riven

#### Porcelain Paving

- 32 SYMPHONY® Elements, Corten
- 34 SYMPHONY® Elements, Metallic
- 36 SYMPHONY® Matte
- 37 SYMPHONY® Planks
- 38 SYMPHONY® Urban
- 39 SYMPHONY® Lapis
- 40 SYMPHONY® Original
- 42 Ardara
- 43 Arrento® Encore
- 44 Arrento®

#### Concrete Paving

- 47 Woodstone®
- 48 Argent®
- 50 Heritage®
- 51 Perfecta®
- 52 Firedstone®
- 53 Saxon®
- 54 Textured Utility
- 55 Utility



## Driveway Paving

### Natural Stone Driveways

- 59 Driveway Setts
- 60 Natural Stone Setts
- 61 Scoutmoor® Setts
- 62 Granite Eclipse® Setts
- 64 Farnley® Setts

### Porcelain Driveways

- 66 SYMPHONY® Plus Drive
- 67 Tempo® Crafted
- 68 Tempo® Original

### Concrete Driveways

- 71 Drivesys® Riven Stone
- 72 Drivesys® Original Cobble
- 74 Drivesys® Flamed Stone
- 75 Drivesys® Split Stone
- 76 Drivesett Argent Priora®
- 77 Driveline Metro®
- 78 Lunar®
- 80 Drivesett Argent®
- 81 Drivesett Tegula Priora®
- 82 Drivesett® Tegula
- 84 Drivesett Coppice®
- 85 Driveline Nova®
- 86 Savanna®
- 88 Drivesett Natrale®
- 89 Driveline Priora®
- 90 Standard Block Paving

### Drainage

- 92 Driveline Drain®

## Finishing Touches

### Natural Stone Walling

- 97 Sawn Versuro®
- 98 Traditional Natural Stone
- 99 Stoneface® Textured
- 100 Stoneface® Sawn Veneer
- 102 Stoneface® Drystack Veneer

### Concrete Walling

- 104 Argent®
- 105 Croft Stone®
- 106 Marshalite®
- 108 Tegula
- 109 Phoenix Facing Brick
- 110 Bullnose Steps
- 112 Coping & Caps
- 114 Kerbs & Edging
- 122 Borders
- 124 Jointing Compounds
- 133 Extras

### Product Information

- 138 Technical Information
- 146 Hard Landscape Guarantee
- 146 Split Pack Service

*Make space for every moment*





**We all need places that make us feel happier, safer, and more sociable. Marshalls supply the UK's leading landscaping products and the trusted expertise - to do just that.**

With support every step of the way, we can help you create a stunning, practical garden or driveway that lasts, in a design that's true to you.



## *The Marshalls Way*

For more than 130 years, we have been helping our customers across the UK transform their outdoor spaces.

The result: A new patio or driveway that's as beautiful as it is usable, adding value to properties, and creating a space to make a lifetime of memories.





### Made in Britain

87%\* of all our domestic manufactured products are made in Britain, giving us more stock control, while allowing us to closely monitor product quality and working practices. By shopping our Made In Britain range, you're reducing your carbon footprint and supporting local manufacturers.



### MaxiMix®

MaxiMix creates premium concrete products with unique surface aesthetics. Alongside showcasing an enhanced surface colour, products created using our MaxiMix Technology also benefit from reduced water staining and efflorescence while encompassing increased durability - perfect for any paving project.



### Fairstone®

All of our natural stone is produced in line with a clear set of ethical values based upon the ETI Base Code, with a full supply chain transparency programme delivered and monitored by our business and human rights team.



### Bespoke Service

Create a space that is truly unique, with a more creative approach to our innovative stone and porcelain collection. Call the Marshalls team on **0345 820 5000**, where our specialists will guide you through the process, provide accurate timescales and transform your vision into reality.



### Stone Standard

Rigorously tested by an independent UKAS-accredited lab, our Indian Sandstone boasts low water absorption, flexural strength and frost resistance, exceeding British Standards. Our Indian Sandstone also provides unrivalled strength, durability, and ease of installation.



### Home Delivery

Most of our products are available for home delivery, meaning you can get the product you need, delivered exactly where you want. You can also track your orders direct to your door using our delivery tracking service. *Minimum orders apply.*

For more information, visit [Marshalls.co.uk/gardens-and-driveways](https://www.marshalls.co.uk/gardens-and-driveways)


\*Based on total tonnage

## *4 Simple Steps to Get Started.*

From your perfect patio to a driveway that stuns, choosing the right designs, products, and people to install your outdoor space is important. We make the process simple.



## Seek out your style




Take time to consider what's best for you and your home, define what you want from your space and create a mood board (Pinterest is great for this) with designs, shapes, colours, materials, and anything else you're drawn to.

## Touch and feel



Visit our website to find your local Marshalls display or order samples so you can get a feel for the materials - we'll deliver them straight to your door. These will pave the spaces you'll entertain in, relax in, and come home to - so find what feels right.

## Find an installer



Bring your project to life with a Marshalls accredited installer. We'll help you find reliable paving or driveway installers using our unique and trusted register. We're proud to champion the work of these independent landscape contractors, who we regularly assess.

## Place your order



Browse the largest choice of proven quality products and accessories in the UK, ready to order online for delivery or to collect from our stockists. Your installer can help you find the perfect choice for your space.

## *Quality set in stone*

Our register of Marshalls accredited installers can help you find a reliable independent business to install your patio or driveway.

While not employed by Marshalls, we regularly assess everyone in our register for their installation skills to offer the Marshalls Hard Landscape Guarantee.

This covers Marshalls products for 10 years, and if your installer ceases trading, we'll resolve any workmanship defects for five years. For more information, see page 146.



## *Pick the perfect installer in 1-2-3*

Making the process to your new outdoor space as smooth as possible is easy when you have the right people. As well as our products and expertise, we can help you find trusted installers to get the job started (and finished).

### **1 Plan ahead**

Installers are usually very busy, so make sure you've done some planning in advance and contact them ahead of schedule to avoid disappointment.

### **2 Check them out**

View an installer's online profile to see if their skills and services match your requirements. Ask to see previous examples for inspiration, and read customer reviews.

### **3 Get quotes**

Once you've looked at a few installers, invite more than one to quote for the project. This is a big investment and you want to be happy with who you've selected.




## Planning a patio paradise

### Your sanctuary outdoors.

Coffee and croissants at dawn. A moment alone, lost in a book. Rumbling bees. Sweet, smoky barbecues, surrounded by friends. From the first snapdragon of spring to golden autumn evenings, our outdoor spaces can make our souls feel lighter. With your wishes and dreams plus our products and expertise, you can create your own slice of paradise for the moments that truly matter in life.


Whether you're creating a sanctuary for quiet moments or a vibrant hub for entertaining, your patio design is ultimately determined by how you want to use it, and how you want it to feel.





- 1 Granite Eclipse® Dark (page 20)
- 2 Heritage® Calder Brown (page 50)
- 3 Towngate® Brown Multi (page 24)
- 4 Alvanley® Pavers (page 27)
- 5 SYMPHONY® Corten Copper (page 32)
- 6 SYMPHONY® Urban Steel (page 38)

# Natural Stone Paving






## Scoutmoor®


This stunning, premium British Yorkstone features in many iconic and prestigious locations across the UK, including Trafalgar Square owing to its timeless style and impressive technical performance. Scoutmoor is predominantly blue/grey in colour with sweeping variable brown bands.

**Co-ordinating driveway setts available.**

### Available colours



Diamond Sawn







Rustic



Scoutmoor Diamond Sawn

### Project Pack

|   | Dimensions (mm) | Coverage               |
|---|-----------------|------------------------|
|  | 600 x RL x 20   | 15 linear metres       |
|  | 400 x RL x 20   | 15 linear metres       |
|  | 200 x RL x 20   | 15 linear metres       |
|  | <b>Total</b>    | <b>18m<sup>2</sup></b> |

RL = Random length. This 18m<sup>2</sup> pack is made up of random length pieces between 300 - 900mm.

Sizes and coverage are actual and do not include joint width. See [page 140](#) for specific installation guidelines.

This range is available as part of our bespoke service.






*Sawn Versuro Autumn Bronze Multi  
Also shown: Sawn Versuro bespoke steps and bespoke circle  
Design & Install by J & D Castle Chichester*

## Sawn Versuro®


Our Sawn Versuro collection is carefully hand selected from only the finest Indian Sandstone. This versatile range combines aspirational looks and performance with durability and elegance, bringing to life the charm of natural stone.

**Co-ordinating steps, walling, coping and edging available.**


### Available colours




Caramel Cream  
Multi



Golden Sand  
Multi







Autumn Bronze  
Multi






Antique Silver  
Multi



### Large Single Size Packs

|   | Dimensions (mm)  | No. Units | Coverage            |
|---|------------------|-----------|---------------------|
|  | 1210 x 1210 x 22 | 8         | 11.71m <sup>2</sup> |
|  | 1260 x 760 x 22  | 14        | 13.41m <sup>2</sup> |
|  | 1010 x 760 x 22  | 14        | 10.75m <sup>2</sup> |
|  | 760 x 760 x 22   | 16        | 9.24m <sup>2</sup>  |

### Standard Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage            |
|---|-----------------|-----------|---------------------|
|  | 855 x 570 x 22  | 35        | 17.06m <sup>2</sup> |
|  | 570 x 570 x 22  | 60        | 19.49m <sup>2</sup> |
|  | 570 x 285 x 22  | 120       | 19.49m <sup>2</sup> |

### Linear Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage           |
|---|-----------------|-----------|--------------------|
|   | 1210 x 310 x 22 | 25        | 9.38m <sup>2</sup> |
|  | 1210 x 210 x 22 | 25        | 6.35m <sup>2</sup> |

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

**Split packs available.**

*This range is available as part of our bespoke service.*





*Granite Eclipse Dark*

*Also shown: Granite Eclipse Light border and Stoneface Drystack Veneer walling*


*Design & Install by R & A Garden Landscapes Ltd, Birmingham*

# Granite Eclipse<sup>®</sup>


A modern and stylish patio paving with a lightly flamed surface texture means it is extremely slip-resistant and guarantees precision, durability and consistent good looks. Granite Eclipse Dark features natural veining throughout, giving beautiful character to this natural stone.

**Co-ordinating steps, borders & driveway setts available.**


## Available colours



Light



Dark



Graphite

### Single Size Packs

|  | Dimensions (mm) | No. Units | Coverage            |
|--|-----------------|-----------|---------------------|
|  | 1212 x 606 x 30 | 16        | 11.75m <sup>2</sup> |
|  | 909 x 606 x 25  | 25        | 13.77m <sup>2</sup> |
|  | 606 x 606 x 25  | 50        | 18.36m <sup>2</sup> |
|  | 606 x 303 x 25  | 100       | 18.36m <sup>2</sup> |
|  | 806 x 206 x 25  | 30        | 4.98m <sup>2</sup>  |

### Project Pack

|  | Dimensions (mm) | No. Units | Coverage                  |
|--|-----------------|-----------|---------------------------|
|  | 606 x 606 x 25  | 24        |                           |
|  | 606 x 303 x 25  | 35        |                           |
|  | 303 x 303 x 25  | 34        |                           |
|  | <b>Total</b>    | <b>93</b> | <b>18.36m<sup>2</sup></b> |

*Sizes and coverage are those attained when laid with a 6mm joint. See page 140 for specific installation guidelines.*

**Split packs available.**

*This range is available as part of our bespoke service.*


# Antique Alverno®

An ethically sourced natural stone paving, which is specially processed to achieve a subtly distressed riven finish with soft, timework edges. Unlike many similarly priced natural stone paving products, Antique Alverno is carefully hand-selected to ensure consistent colour.


## Available colours




Autumn  
Bronze Multi



Golden Sand  
Multi



Silver Limestone  
Multi








Silver Birch  
Multi



Antique Alverno Golden Sand Multi

## Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|  | 855 x 570 x 22  | 17        |                           |
|  | 570 x 570 x 22  | 17        |                           |
|  | 570 x 285 x 22  | 18        |                           |
|  | 285 x 285 x 22  | 19        |                           |
|  | <b>Total</b>    | <b>71</b> | <b>18.28m<sup>2</sup></b> |

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

This range is available as part of our bespoke service.




# Casarta Slate<sup>®</sup>


A beautiful, high quality slate from Brazil imparts a luxurious contemporary look. This naturally clean splitting slate has a gentle riven surface texture and is hand selected for colour consistency.

**Co-ordinating steps available.**


## Available colours



Silver Grey






Black







Casarta Slate Silver Grey  
Design & Install by All Seasons Landscapes, Stockton-on-Tees

## Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage           |
|---|-----------------|-----------|--------------------|
|  | 810 x 810 x 20  | 25        | 16.4m <sup>2</sup> |
|  | 810 x 405 x 20  | 50        | 16.4m <sup>2</sup> |
|  | 405 x 405 x 20  | 100       | 16.4m <sup>2</sup> |

## Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|  | 610 x 610 x 20  | 24        |                           |
|  | 610 x 305 x 20  | 35        |                           |
|  | 305 x 305 x 20  | 34        |                           |
|  | <b>Total</b>    | <b>93</b> | <b>18.61m<sup>2</sup></b> |

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

**Split packs available.**

This range is available as part of our bespoke service.









# Towngate<sup>®</sup>

This value range of sawn sandstone still provides the charm and character of natural stone, is ethically sourced and covered by the Marshalls Stone Standard. Towngate is loosely colour selected, resulting in a more random colour variation once installed.


## Available colours



Buff Multi



Brown Multi








Grey Multi

### Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage            |
|---|-----------------|-----------|---------------------|
|  | 915 x 610 x 18  | 37        | 20.65m <sup>2</sup> |
|  | 610 x 610 x 18  | 64        | 23.81m <sup>2</sup> |
|  | 610 x 305 x 18  | 128       | 23.81m <sup>2</sup> |

### Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|    | 915 x 610 x 18  | 17        |                           |
|    | 610 x 610 x 18  | 17        |                           |
|    | 610 x 305 x 18  | 18        |                           |
|  | 305 x 305 x 18  | 19        |                           |
|  | <b>Total</b>    | <b>71</b> | <b>20.93m<sup>2</sup></b> |

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

Split packs available.


This range is available as part of our bespoke service.



## Natural Slate

The rich aesthetic of this natural slate makes this a striking paving choice. The beautiful riven surface is achieved during the natural splitting process, which is expertly done by skilled stonemasons.

### Available colours







Blue



Natural Slate Blue

### Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|  | 610 x 610 x *   | 24        |                           |
|  | 610 x 305 x *   | 24        |                           |
|  | 305 x 305 x *   | 24        |                           |
|  | <b>Total</b>    | <b>72</b> | <b>15.63m<sup>2</sup></b> |

\* Due to natural splitting surface, thickness is between 18-24mm.

Sizes and coverage are those attained when laid with a 10mm joint. See [page 141](#) for specific installation guidelines.


This range is available as part of our bespoke service.




# Alvanley® Pavers

These sandstone pavers offer technically superior performance and provide a unique and luxurious finish to any space. Designed for patios, paths or for detailing edgings with a subtle blend of colour variation and tumbled edges.

## Available colours



Buff Blend



Silver Blend

## Single Size Pack


| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|   |                |     |                     |
|---|----------------|-----|---------------------|
|  | 305 x 105 x 22 | 600 | 19.22m <sup>2</sup> |
|---|----------------|-----|---------------------|

Sizes and coverage are those attained when laid with a 5mm joint. See **page 141** for specific installation guidelines.

**Split packs available.**

This range is available as part of our bespoke service.



Alvanley Pavers Silver Blend  
Design & Install by Signature Landscapes Design & Build, Altrincham






Limestone Aluri Sylvern


# Limestone Aluri<sup>®</sup>

The beautiful, natural texture of our ethically sourced limestone collection creates a truly unique finish in any setting. The lightly riven finish combined with its extreme durability is the ideal choice for family friendly gardens.


## Available colours




Rustic Ochre  
Multi



Silver





Sylvern








Charcoal

### Single Size Packs

Silver, Sylvern, Charcoal

|   | Dimensions (mm) | No. Units | Coverage            |
|---|-----------------|-----------|---------------------|
|  | 915 x 610 x 22  | 30        | 16.74m <sup>2</sup> |
|  | 610 x 610 x 22  | 30        | 11.16m <sup>2</sup> |

### Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|    | 915 x 610 x 22  | 14        |                           |
|    | 610 x 610 x 22  | 14        |                           |
|    | 610 x 305 x 22  | 14        |                           |
|   | 305 x 305 x 22  | 14        |                           |
|  | <b>Total</b>    | <b>71</b> | <b>16.93m<sup>2</sup></b> |

Limestone paving is susceptible to the elements and as a result will fade over time.

Sizes and coverage are those attained when laid with a 10mm joint. See page 141 for specific installation guidelines.

Split packs available.

This range is available as part of our bespoke service.




## Indian Sandstone Riven


Available in three natural colour variations, our ethically sourced Indian Sandstone is a technically robust yet affordable paving that has been hand selected to give a rustic finish which suits just about any residential setting.

**Co-ordinating circle kit available.**


### Available colours



Buff Multi



Brown Multi







Grey Multi








Indian Sandstone Riven Buff Multi

Design & Install by P & K Landscape & Building Solutions, Haddington




### Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage            |
|---|-----------------|-----------|---------------------|
|  | 1140 x 570 x 18 | 35        | 22.74m <sup>2</sup> |
|  | 855 x 570 x 18  | 45        | 21.93m <sup>2</sup> |
|  | 570 x 570 x 18  | 70        | 22.74m <sup>2</sup> |
|  | 570 x 285 x 18  | 140       | 22.74m <sup>2</sup> |






### Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|  | 855 x 570 x 18  | 18        |                           |
|  | 570 x 570 x 18  | 22        |                           |
|  | 570 x 285 x 18  | 22        |                           |
|  | 285 x 285 x 18  | 18        |                           |
|  | <b>Total</b>    | <b>80</b> | <b>20.96m<sup>2</sup></b> |

### Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage            |
|---|-----------------|-----------|---------------------|
|  | 915 x 610 x 18  | 37        | 20.65m <sup>2</sup> |
|  | 610 x 610 x 18  | 64        | 23.81m <sup>2</sup> |
|  | 610 x 305 x 18  | 128       | 23.81m <sup>2</sup> |

### Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|  | 915 x 610 x 18  | 17        |                           |
|  | 610 x 610 x 18  | 17        |                           |
|  | 610 x 305 x 18  | 18        |                           |
|  | 305 x 305 x 18  | 19        |                           |
|  | <b>Total</b>    | <b>71</b> | <b>20.93m<sup>2</sup></b> |

Sizes and coverage are those attained when laid with a 10mm joint. See page 141 for specific installation guidelines.



# Porcelain Paving








# SYMPHONY® Elements Corten

Purposely selected for their bold aesthetics, SYMPHONY Elements combines the beauty of authentic metals with the long-lasting benefits of porcelain. Our Corten collection replicates metals which have been exposed to the elements, highlighting weathered textures and blends of shimmering colour.

**Each pack comes with the right amount of primer and jointing compound.**

## Available colours




Copper



Bronze



Cobalt



Iron

### Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                 |    |                     |
|-----------------|----|---------------------|
| 1000 x 500 x 20 | 36 | 17.82m <sup>2</sup> |
|-----------------|----|---------------------|

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*






*SYMPHONY Elements Teal*  
*Design & Install by Dawson Landscapes, Hartlepool*

# SYMPHONY<sup>®</sup> Elements Metallic


Inspired by the latest colour trends, our Metallic collection offers contemporary designs that embody gleaming metal. Watch your patio subtly change shade throughout the day, as the natural light reflects from the surface.

**Each pack comes with the right amount of primer and jointing compound.**


## Available colours



Pearl



Grey



Brown



Teal

### Single Size Pack

| Dimensions (mm) | No. Units | Coverage            |
|-----------------|-----------|---------------------|
| 1000 x 500 x 20 | 36        | 17.82m <sup>2</sup> |

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*






# Symphony<sup>®</sup> Matte

The unique aesthetic of our Matte range allows you to create a stylish design for your project. Create stunning step risers, pathways or intricate borders, by combining solid colours with decorative tiles.

**Each pack comes with the right amount of primer and jointing compound.**

## Available colours




Ornate



Deco




Botanic




Vintage



Cream



Carbon



Graphite

## Single Size Pack

| Dimensions (mm) | No. Units | Coverage            |
|-----------------|-----------|---------------------|
| 1000 x 500 x 20 | 36        | 17.82m <sup>2</sup> |



*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*






SYMPHONY Planks Hampton

## SYMPHONY® Planks


All the aesthetic benefits of timber decking with none of the associated performance issues. Our Planks collection will not rot or splinter - it also has a very high resistance to moss and algae growth making it the perfect long lasting solution.

**Each pack comes with the right amount of primer and jointing compound.**


### Available colours




Hampton



Corrado




Birch



Oak

### Single Size Pack

| Dimensions (mm)   | No. Units | Coverage            |
|---|-----------|---------------------|
|  1200 x 300 x 20 | 48        | 17.28m <sup>2</sup> |

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*



# SYMPHONY<sup>®</sup> Urban


Designed to create an industrial look and feel, this large on-trend format and neutral colours guarantees a wow factor wherever used.

**Each pack comes with the right amount of primer and jointing compound.**

## Available colours




Clay



Stone



Ash



Steel

## Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                |    |                    |
|----------------|----|--------------------|
| 800 x 800 x 20 | 40 | 25.6m <sup>2</sup> |
|----------------|----|--------------------|

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*



SYMPHONY Urban Ash

Design & Install by A Dunlop Landscapes, Prestwick



# SYMPHONY<sup>®</sup> Lapis


Boasting all the beauty of classic sedimentary stone, typically found within the Italian Lombardy region, SYMPHONY Lapis combines a prestigious look and feel with all of the benefits of a modern, low maintenance porcelain paving.

**Each pack comes with the right amount of primer and jointing compound.**


## Available colours



Beige



Grey



Anthracite

## Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|



|                |    |                    |
|----------------|----|--------------------|
| 800 x 800 x 20 | 45 | 28.8m <sup>2</sup> |
|----------------|----|--------------------|

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*



SYMPHONY Lapis Anthracite & Grey





*SYMPHONY Original Copper  
Design & Install by Harpenden Block Paving Co, Harpenden*



# SYMPHONY<sup>®</sup> Original


Bringing together the most loved options from our Classic and Natural range. With a choice of colours and sizes, SYMPHONY Original is sure to suit any project.

**Each pack comes with the right amount of primer and jointing compound.**


## Available colours




Barley




Buff




Senna



Grey





Copper








Blue

### Single Size Packs

| Dimensions (mm)  | No. Units | Coverage            |
|--|-----------|---------------------|
|  1200 x 600 x 20<br>Copper, Barley, Blue, Senna | 26        | 18.72m <sup>2</sup> |
|  600 x 600 x 20                                 | 64        | 23.04m <sup>2</sup> |






### Beta Project Pack

Buff

| Dimensions (mm)  | No. Units | Coverage                  |
|--|-----------|---------------------------|
|  800 x 800 x 20 | 14        |                           |
|  800 x 400 x 20 | 15        |                           |
|  400 x 400 x 20 | 15        |                           |
|  305 x 305 x 22 | 14        |                           |
|  <b>Total</b>   | <b>58</b> | <b>16.16m<sup>2</sup></b> |

### Sigma Project Pack

Barley, Blue, Senna, Copper

| Dimensions (mm)  | No. Units | Coverage                  |
|--|-----------|---------------------------|
|  900 x 600 x 20   | 13        |                           |
|  600 x 600 x 20  | 18        |                           |
|  600 x 300 x 20 | 9         |                           |
|  300 x 300 x 20 | 19        |                           |
|  <b>Total</b>   | <b>58</b> | <b>16.89m<sup>2</sup></b> |

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

**Split packs available.**


This range is available as part of our bespoke service.




# Ardara

This large format paving has been produced using high quality raw materials to re-create that polished concrete look. Technically very strong and hard wearing, with extremely low water absorption, Ardara provides a simple but stylish feel to any space.


## Available colours



Moon



Ash



Grey

## Single Size Pack

| Dimensions (mm) | No. Units | Coverage           |
|-----------------|-----------|--------------------|
| 1200 x 600 x 20 | 30        | 21.6m <sup>2</sup> |

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*



Ardara Moon



Mid range


# Arrento<sup>®</sup> Encore

A contemporary porcelain paving which combines warm colour tones with a subtle linear aesthetic, to offer a refreshing natural look. Arrento Encore is available in a range of sizes and colours, and is perfect for creating zones in any outdoor space.


## Available colours




Platinum




Dune



Smoke






Auburn



Arrento Encore Smoke & Platinum

## Single Size Pack

|   | Dimensions (mm) | Units | Coverage*           |
|---|-----------------|-------|---------------------|
|  | 900 x 600 x 20  | 50    | 27m <sup>2</sup>    |
|  | 600 x 600 x 20  | 64    | 23.04m <sup>2</sup> |
|  | 200 x 900 x 20  | 144   | 25.92m <sup>2</sup> |

*Due to differences in batches and tolerances, we do not recommend the blending of different single sizes to generate a random, mixed size installation. To achieve a multiple size design, please select a project pack and refer to the laying pattern.*

*All sizes quoted are based on nominal dimensions. Coverage is obtained when laid with a 5-8mm joint width. See page 141 for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*



DELIVER




Mid range



# Arrento<sup>®</sup>

This elegant paving exhibits class leading strength and technical ability beneath its elegant designs. Arrento porcelain is exceedingly practical requiring minimal maintenance as it absorbs little or no moisture, offering few opportunities for moss and algae growth.

## Available colours



Cream

Beige

Silver





Grey

Black

### Single Size Packs

|   | Dimensions (mm)                              | No. Units | Coverage            |
|---|--|-----------|---------------------|
|  | 900 x 600 x 20<br>Cream, Silver, Grey, Black | 48        | 25.92m <sup>2</sup> |
|  | 600 x 600 x 20                               | 64        | 23.04m <sup>2</sup> |
|  | 200 x 900 x 20<br>Cream, Silver, Grey, Black | 100       | 18m <sup>2</sup>    |

### Project Pack

|   | Dimensions (mm) | No. Units | Coverage                  |
|---|-----------------|-----------|---------------------------|
|    | 600 x 600 x 20  | 24        |                           |
|    | 600 x 300 x 20  | 24        |                           |
|    | 300 x 300 x 20  | 24        |                           |
|  | <b>Total</b>    | <b>72</b> | <b>15.12m<sup>2</sup></b> |

*Due to differences in batches and tolerances, we do not recommend the blending of different single sizes to generate a random, mixed size installation. To achieve a multiple size design, please select a range where project packs are available, along with the relevant laying pattern.*

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See **page 141** for additional product notes.*

**Split packs available.**

*This range is available as part of our bespoke service.*



# Concrete Paving






## Woodstone®

Woodstone is almost indistinguishable from genuine old timber, offering a sought-after weathered appearance of real timber, that will never rot, warp or splinter. Made from high-strength concrete, Woodstone lends itself to natural settings where other paving may look intrusive.

### Available colours



Driftwood

### Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage          |
|---|-----------------|-----------|-------------------|
|  | 900 x 225 x 50  | 40        | 8.1m <sup>2</sup> |
|  | 675 x 225 x 50  | 40        | 6.0m <sup>2</sup> |

### Stepping Stones

|   | Dimensions (mm)       | No. Units |
|---|-----------------------|-----------|
|  | 300-450mm dia x 40-75 | 60        |

Split packs available.





Argent Smooth Light




# Argent<sup>®</sup>


Contemporary chic paving that brings together an attractive blend of high quality granite aggregates to create a smart, sophisticated and modern finish.

**Co-ordinating walling, coping, edging & driveway setts available.**

## Available colours




Smooth,  
Light




Coarse,  
Light



Smooth,  
Luna








Smooth,  
Dark



Coarse,  
Dark

## Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage           |
|---|-----------------|-----------|--------------------|
|  | 600 x 600 x 38  | 25        | 9.0m <sup>2</sup>  |
|  | 600 x 450 x 40  | 25        | 6.8m <sup>2</sup>  |
|  | 450 x 450 x 38  | 56        | 11.3m <sup>2</sup> |
|  | 400 x 400 x 38  | 60        | 9.6m <sup>2</sup>  |
|  | 200 x 600 x 38  | 25        | 3.0m <sup>2</sup>  |

Sizes and coverage are actual and do not include joint width. See [page 141](#) for specific installation guidelines.

**Split packs available.**






Heritage Yorkstone

Concrete Paving


# Heritage<sup>®</sup>

Heritage is cast from split stone flags with mason fettled edges. Versatile and elegant, this range offers a popular and attractive riven paving choice, with all the charm of genuine newly quarried Yorkstone.


## Available colours




Yorkstone



Weathered Yorkstone



Calder Brown



Old Yorkstone

## Single Size Packs

|                          | Dimensions (mm) | No. Units | Coverage          |
|--------------------------|-----------------|-----------|-------------------|
| <input type="checkbox"/> | 600 x 600 x 38  | 22        | 7.9m <sup>2</sup> |
| <input type="checkbox"/> | 600 x 450 x 38  | 22        | 5.9m <sup>2</sup> |
| <input type="checkbox"/> | 450 x 450 x 38  | 44        | 8.9m <sup>2</sup> |
| <input type="checkbox"/> | 600 x 300 x 38  | 44        | 7.9m <sup>2</sup> |
| <input type="checkbox"/> | 300 x 300 x 38  | 44        | 4.0m <sup>2</sup> |

Sizes and coverage are actual and do not include joint width. See page 141 for specific installation guidelines.

Split packs available.






Perfecta Buff


## Perfecta®

Offering a smooth, ground terrazzo finish, Perfecta has been designed to complement all property styles. This range features visible Yorkstone aggregates with a smooth finish and chamfered edge.

### Available colours



Natural



Buff

### Single Size Packs

|                          | Dimensions (mm) | No. Units | Coverage           |
|--------------------------|-----------------|-----------|--------------------|
| <input type="checkbox"/> | 600 x 600 x 35  | 30        | 10.8m <sup>2</sup> |
| <input type="checkbox"/> | 450 x 450 x 35  | 60        | 12.2m <sup>2</sup> |

*Sizes and coverage are actual and do not include joint width.*


**Split packs available.**




# Firedstone<sup>®</sup>

Stylish and versatile paving, moulded from original flame treated and hand crafted flagstones. With an attractive colour palette and a light, tactile texture, Firedstone is designed to brighten and enhance even the shadiest of garden spaces.


## Available colours




Fired York



Sunrise



Autumn





Dusk







Firedstone Autumn

## Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage          |
|---|-----------------|-----------|-------------------|
|  | 600 x 600 x 38  | 22        | 7.9m <sup>2</sup> |
|  | 600 x 300 x 38  | 44        | 7.9m <sup>2</sup> |
|  | 300 x 300 x 38  | 44        | 4.0m <sup>2</sup> |

## Project Pack

|   | Dimensions (mm) | No. Units | Coverage              |
|---|-----------------|-----------|-----------------------|
|  | 600 x 600 x 38  | 8         |                       |
|  | 600 x 300 x 38  | 10        |                       |
|  | 300 x 300 x 38  | 4         |                       |
|  | <b>Total</b>    | <b>22</b> | <b>5m<sup>2</sup></b> |

Sizes and coverage are actual and do not include joint width. See page 141 for specific installation guidelines.

Split packs available.



# Saxon<sup>®</sup>


Combines the functionality and durability of concrete paving with a distinctive and hardwearing textured finish. Using a blend of Yorkstone aggregate the practical, textured slip-resistant surface of Saxon is a popular choice with families UK wide.

**Co-ordinating coping available.**

### Available colours







Natural



Buff

### Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage           |
|---|-----------------|-----------|--------------------|
|  | 600 x 600 x 35  | 30        | 10.8m <sup>2</sup> |
|  | 450 x 450 x 35  | 60        | 12.2m <sup>2</sup> |
|  | 600 x 300 x 35  | 30        | 5.4m <sup>2</sup>  |
|  | 300 x 300 x 35  | 60        | 5.4m <sup>2</sup>  |

*Sizes and coverage are actual and do not include joint width.*

**Split packs available.**




Saxon Buff



## Textured Utility

The ideal paving for practical areas around the home. This budget choice is hardwearing with a textured finish that adds character and slip resistance to properties.

### Available colours



Natural

Buff

Charcoal

### Single Size Packs

|                          | Dimensions (mm) | No. Units | Coverage            |
|--------------------------|-----------------|-----------|---------------------|
| <input type="checkbox"/> | 600 x 600 x 32  | 30        | 10.79m <sup>2</sup> |
| <input type="checkbox"/> | 450 x 450 x 32  | 64        | 13m <sup>2</sup>    |

Sizes and coverage are actual and do not include joint width.  
See [page 141](#) for specific installation guidelines.

Textured Utility Charcoal






Utility Pendle Buff


## Utility

Utility paving offers a hardwearing and effective solution when basic paving is all that is required. Available in two surface finishes; Pendle has a riven profile, whilst Richmond has a flat, pimple surface.


### Available colours




Pendle,  
Buff




Richmond,  
Buff



Pendle,  
Natural



Richmond,  
Natural



Pendle,  
Charcoal

### Single Size Packs

|                          | Dimensions (mm) | No. Units | Coverage         |
|--------------------------|-----------------|-----------|------------------|
| <input type="checkbox"/> | 600 x 600 x 38  | 25        | 9m <sup>2</sup>  |
| <input type="checkbox"/> | 450 x 450 x 32  | 60        | 13m <sup>2</sup> |

Utility paving is not suitable for decorative areas.

Sizes and coverage are actual and do not include joint width.  
See [page 141](#) for specific installation guidelines.




## Your driveway. your way




### The promise of home.

Coming home to a beautiful, pulled-together driveway helps everything in life feel the same way. It's not just a place to park the car. Done right, a driveway is the first comfort you see pulling in from work. It's where you run for hugs as loved ones arrive, and where you wave goodbye when they leave.

Beyond kerb appeal, a driveway is a wonderful and welcoming space - one that keeps us grounded as life whirs by. Home is where the drive is, so make it yours.








- 1 Lunar® Rosa with Driveline Drain Charcoal (page 78)
- 2 Farnley® Setts Charcoal Multi (page 64)
- 3 Tempo® Original Steel (page 68)
- 4 Driveline Metro® Light Grey & Dark Grey Mix (page 77)
- 5 Drivesett Coppice® Cedar & Pennant Blend with an Oak Blend Border (page 84)
- 6 Driveway Setts Autumn Bronze (page 59)


# Natural Stone Driveways




# Driveway Setts

Our precisely cut driveway setts are perfect at adding a real touch of our luxury. These setts are produced from graded Indian Sandstone and hand selected for beautiful colour consistency.

## Available colours



Autumn Bronze




Silver Birch



Driveway Setts bands of Silver Birch & Autumn Bronze  
Also shown: Banded with Cropped Granite Setts

## Project Pack

|   | Dimensions (mm) | No. Units | Coverage                 |
|---|-----------------|-----------|--------------------------|
| <input type="checkbox"/>  | 245 x 165 x 50  | 130       |                          |
| <input type="checkbox"/>  | 165 x 165 x 50  | 90        |                          |
| <input type="checkbox"/>  | 125 x 165 x 50  | 28        |                          |
|  | <b>Total</b>    | <b>72</b> | <b>8.28m<sup>2</sup></b> |

Sizes and coverage are those attained when laid with a 10mm joint.  
See page 142 for specific installation guidelines.

Split packs available.




## Natural Stone Setts

Natural Stone Driveway Setts are produced from specially selected Indian Sandstone, featuring naturally split stone to give a delicate riven or sawn surface. Hand selected for colour consistency and available in a range of sizes to create a truly outstanding driveway.


### Available colours



Sawn & Tumbled,  
Silver Birch



Split & Tumbled,  
Silver Birch



Sawn & Tumbled,  
Autumn Bronze



Split & Tumbled,  
Autumn Bronze

### Split & Tumbled Setts

|                          | Dimensions (mm) | No. Units | Coverage           |
|--------------------------|-----------------|-----------|--------------------|
| <input type="checkbox"/> | 210 x 110 x 50  | 400       | 9.24m <sup>2</sup> |

### Sawn & Tumbled Setts

|                          | Dimensions (mm) | No. Units | Coverage            |
|--------------------------|-----------------|-----------|---------------------|
| <input type="checkbox"/> | 210 x 110 x 50  | 480       | 11.08m <sup>2</sup> |

Sizes and coverage are those attained when laid with a 10mm joint. See [page 142](#) for specific installation guidelines.

**Split packs available.**



Natural Stone Setts Split & Tumbled Silver Birch



## Scoutmoor<sup>®</sup> Setts

Achieve an impressive finish with these stunning setts that are exclusive to Marshalls. Sourced from our very own quarry, this prestigious natural stone is predominately blue/grey in colour.

**Co-ordinating paving available.**

### Available colours




Diamond Sawn

### Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                          |                |     |                    |
|--------------------------|----------------|-----|--------------------|
| <input type="checkbox"/> | 205 x 105 x 50 | 360 | 7.75m <sup>2</sup> |
|--------------------------|----------------|-----|--------------------|

Sizes and coverage are those attained when laid with a 5mm joint. See page 142 for specific installation guidelines.



Scoutmoor Setts Diamond Sawn





Sawn Granite Eclipse Setts Dark

# Granite Eclipse<sup>®</sup>

Our stunning Granite Eclipse Setts are perfect for creating a contemporary driveway. Ethically sourced, with a rugged texture, they are sawn on all sides and flamed to deliver a modern format sett with excellent slip-resistant qualities. Our Cropped Granite Setts make an ideal border or pathway feature to driveways and patios.

**Co-ordinating paving, edging & steps available.**

## Available colours



Sawn,  
Light



Sawn,  
Dark



Cropped,  
Silver Grey

### Sawn Project Pack

Light, Dark



| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|   |                |                              |
|---|----------------|------------------------------|
|  | 355 x 155 x 50 | 90                           |
|  | 255 x 155 x 50 | 60                           |
|  | 155 x 155 x 50 | 30                           |
|  | <b>Total</b>   | <b>180 8.04m<sup>2</sup></b> |

### Cropped Single Size Packs

Silver Grey

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|   |                 |                        |
|---|-----------------|------------------------|
|    | 210 x 110 x 100 | 200 4.84m <sup>2</sup> |
|  | 110 x 110 x 100 | 400 4.62m <sup>2</sup> |

Sawn Granite Eclipse Setts sizes and coverage are those attained when laid with a 5mm joint. Cropped Granite Setts sizes and coverage are those attained when laid with a 10mm joint. See page 142 for specific installation guidelines.




## Farnley® Setts

Sawn on all six sides and then gently tumbled, these setts have been purposefully designed to achieve both contemporary and traditional patterns. Choose from three different stone types and blends; Buff Multi made from an Indian Sandstone, Charcoal Multi a robust Indian Basalt or Silver Blue Multi, a stunning Limestone.


### Available colours



Buff Multi




Silver Blue Multi



Charcoal Multi

### Single Size Pack

|   | Dimensions (mm) | No. Units | Coverage          |
|---|-----------------|-----------|-------------------|
|  | 200 x 50 x 50   | 720       | 7.2m <sup>2</sup> |

Sizes and coverage are actual and do not include joint width. See page 142 for specific installation guidelines.

Split packs available.





Farnley Setts Silver Blue Multi





# Porcelain Driveways






SYMPHONY Plus Drive Grey  
Also shown: Sawn Granite Eclipse Setts Dark

#### Porcelain Driveways


## SYMPHONY<sup>®</sup> Plus Drive

All the same fantastic advantages as standard porcelain paving, now for your drive. With the fantastic benefits of a strong concrete backing and a contemporary aesthetic finish, SYMPHONY Plus Drive is the perfect option for a modern finish.

#### Available colours



Grey



Charcoal

#### Single Size Pack

|                          | Dimensions (mm) | No. Units | Coverage           |
|--------------------------|-----------------|-----------|--------------------|
| <input type="checkbox"/> | 600 x 600 x 60  | 19        | 6.84m <sup>2</sup> |

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.*

**Split packs available.**



# Tempo<sup>®</sup> Crafted


Designed for driveway application, this 30mm thick, heavy-duty porcelain tile boasts an industrial inspired design, harnessing the contemporary feel of crafted concrete.

**Each pack comes with the right amount of primer and jointing compound.**


## Available colours



Carbon



Smoke



Soot

## Single Size Packs

|   | Dimension (mm) | No. Units | Coverage            |
|---|----------------|-----------|---------------------|
|  | 600 x 600 x 30 | 48        | 17.28m <sup>2</sup> |
|  | 300 x 600 x 30 | 80        | 14.4m <sup>2</sup>  |

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.*

**Split packs available.**

Tempo Crafted Soot






*Tempo Original Charcoal*

# Tempo<sup>®</sup> Original


Add elegance to your driveway with our 30mm thick, porcelain driveway range. Inspired by the beauty of natural stone, our heavy-duty porcelain is available in three classic colourways, for a timeless finish that suits almost any UK property.

**Each pack comes with the right amount of primer and jointing compound.**


## Available colours



Steel



Charcoal



Raven

## Single Size Packs


|                          | Dimensions (mm) | No. Units | Coverage            |
|--------------------------|-----------------|-----------|---------------------|
| <input type="checkbox"/> | 600 x 600 x 30  | 45        | 17.28m <sup>2</sup> |
| <input type="checkbox"/> | 300 x 600 x 30  | 80        | 14.4m <sup>2</sup>  |

*Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. This product comes with specific installation guidelines, see page 142 for additional product notes.*

**Split packs available.**



# Concrete Driveways




## Drivesys<sup>®</sup> Riven Stone


An elegant driveway replicating lightly riven stone, but with the inherent strength and practicality of concrete. Complemented by crisp, straight edges, it offers an attractive and cost-effective alternative to natural stone.

**Each pack comes with the right amount of jointing compound.**

### Available colours



Silver Grey



Basalt

### Project Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                          |                |     |
|--------------------------|----------------|-----|
| <input type="checkbox"/> | 220 x 160 x 60 | 100 |
|--------------------------|----------------|-----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 200 x 160 x 60 | 60 |
|--------------------------|----------------|----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 180 x 160 x 60 | 80 |
|--------------------------|----------------|----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 160 x 160 x 60 | 20 |
|--------------------------|----------------|----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 120 x 160 x 60 | 30 |
|--------------------------|----------------|----|



|              |            |                          |
|--------------|------------|--------------------------|
| <b>Total</b> | <b>290</b> | <b>9.02m<sup>2</sup></b> |
|--------------|------------|--------------------------|

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

Split packs available.



Drivesys Riven Stone Silver Grey & Basalt mix  
Design & Install by Newleaf Landscapes, Alfreton





*Drivesys Original Cobble Iron Grey & Canvas mix  
Design & Install by Arun Driveways, Little Hampton*




## Drivesys® Original Cobble

Drivesys Original Cobble creates a realistic antique cobble stone look with all the benefits of an engineered concrete driveway. Use a single colour finish or blend a variety of colours to enhance the charm of any home. Co-ordinating roundtop edges are available.

**Each pack comes with the right amount of jointing compound.**


### Available colours



Iron Grey




Canvas



Basalt

### Project Pack

|   | Dimensions (mm) | No. Units  | Coverage                  |
|---|-----------------|------------|---------------------------|
| <input type="checkbox"/>  | 215 x 130 x 60  | 160        |                           |
| <input type="checkbox"/>  | 185 x 130 x 60  | 80         |                           |
| <input type="checkbox"/>  | 165 x 130 x 60  | 80         |                           |
| <input type="checkbox"/>  | 145 x 130 x 60  | 80         |                           |
| <input type="checkbox"/>  | 130 x 130 x 60  | 80         |                           |
|  | <b>Total</b>    | <b>180</b> | <b>10.93m<sup>2</sup></b> |

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

**Split packs available.**



## Drivesys® Flamed Stone

Create an impact with the prestigious look and feel of Welsh Pennant stone. The realistic stone face profiles and straight contemporary edges, along with hardwearing colour and finish, make this the perfect stone look driveway.


**Each pack comes with the right amount of jointing compound.**

### Available colours



Blue Pennant

### Project Pack

|   | Dimensions (mm) | No. Units  | Coverage                  |
|---|-----------------|------------|---------------------------|
| <input type="checkbox"/>  | 280 x 210 x 60  | 20         |                           |
| <input type="checkbox"/>  | 250 x 210 x 60  | 20         |                           |
| <input type="checkbox"/>  | 210 x 210 x 60  | 50         |                           |
| <input type="checkbox"/>  | 170 x 210 x 60  | 20         |                           |
| <input type="checkbox"/>  | 140 x 210 x 60  | 40         |                           |
|  | <b>Total</b>    | <b>150</b> | <b>11.02m<sup>2</sup></b> |

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

Split packs available.



Drivesys Flamed Stone Blue Pennant  
Design & Install by Discover Paving & Landscaping, Cheshire



## Drivesys<sup>®</sup> Split Stone

All the character of premium natural stone with the reliability of modern engineered concrete. This robust design is created using realistic split stone face profiles combined with a straight edge for a sophisticated result.

**Each pack comes with the right amount of jointing compound.**

### Available colours



Basalt

### Project Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                          |                |     |
|--------------------------|----------------|-----|
| <input type="checkbox"/> | 220 x 160 x 60 | 100 |
|--------------------------|----------------|-----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 200 x 160 x 60 | 60 |
|--------------------------|----------------|----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 180 x 160 x 60 | 80 |
|--------------------------|----------------|----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 160 x 160 x 60 | 20 |
|--------------------------|----------------|----|

|                          |                |    |
|--------------------------|----------------|----|
| <input type="checkbox"/> | 120 x 160 x 60 | 30 |
|--------------------------|----------------|----|



|              |            |                          |
|--------------|------------|--------------------------|
| <b>Total</b> | <b>290</b> | <b>9.02m<sup>2</sup></b> |
|--------------|------------|--------------------------|

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see page 142 for additional product notes.

Split packs available.



Drivesys Split Stone Basalt

Design & Install by Jason Clarke Classic Paving, Stockport



## Drivesett Argent Priora<sup>®</sup>

The ultimate sustainable driveway option with no additional drainage required and no need for planning permission. Drivesett Argent Priora delivers the same contemporary granite look and appeal to your driveway with all of the peace of mind that comes with a permeable driveway.

### Available colours




Light



Dark



Graphite

| Project Pack   |            |                          |
|--|------------|--------------------------|
| Dimensions (mm)  | No. Units  | Coverage                 |
| <input type="checkbox"/> 240 x 160 x 60  | 108        |                          |
| <input type="checkbox"/> 160 x 160 x 60  | 135        |                          |
| <input type="checkbox"/> 80 x 160 x 60   | 36         |                          |
|  <b>Total</b> | <b>279</b> | <b>8.06m<sup>2</sup></b> |

*The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS.*

*Sizes and coverage are actual and do not include joint width. See page 143 for additional notes on legislation and installation guidelines.*

**Split packs available.**




Drivesett Argent Priora Light




## Driveline Metro<sup>®</sup>

Achieve a sharp contemporary look with a distinctive streamlined shape. Lightly washed to expose the aggregate and to give a premium finish, you can create an eye-catching design statement by mixing the four carefully selected colour options.

### Available colours




Light Grey



Dark Grey



Rose



Maroon


### Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                |     |                    |
|----------------|-----|--------------------|
| 480 x 130 x 80 | 108 | 6.74m <sup>2</sup> |
|----------------|-----|--------------------|

Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.

Split packs available.



Driveline Metro Light Grey & Dark Grey mix  
Design & Install by Esse Landscapes, Crawley






Lunar Shadow

Also shown: Driveliné Drain Natural


# Lunar<sup>®</sup>

Create a driveway out of this world with Lunar. Developed with our customers in mind, unique granite inspired blends are brought to life through a patented colour application, creating a multi-hued, subtle, and elegant aesthetic.


## Available colours




Ice



Rosa



Silver Dust



Shadow

### Single Size Pack

|                          | Dimensions (mm) | Units | Coverage            |
|--------------------------|-----------------|-------|---------------------|
| <input type="checkbox"/> | 300 x 200 x 50  | 192   | 11.52m <sup>2</sup> |

### Project Pack

|                          | Dimensions (mm) | Units      | Coverage                  |
|--------------------------|-----------------|------------|---------------------------|
| <input type="checkbox"/> | 240 x 160 x 50  | 120        |                           |
| <input type="checkbox"/> | 160 x 160 x 50  | 216        |                           |
| <input type="checkbox"/> | 160 x 80 x 50   | 48         |                           |
| <b>Total</b>             |                 | <b>384</b> | <b>10.75m<sup>2</sup></b> |

*Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.*

**Split packs available.**



# Drivesett Argent<sup>®</sup>

Drivesett Argent is a superb substitute for natural granite and combines all the practicality and ease of installation of a concrete paving with the premium, cool, modern aesthetics of granite.

**Co-ordinating paving, edging & walling available.**

## Available colours



Buff



Light



Dark




Graphite



Drivesett Argent Dark & Light  
Design & Install by Classic Paving, Stockport

## Project Pack

|   | Dimensions (mm) | No. Units  | Coverage                  |
|---|-----------------|------------|---------------------------|
| <input type="checkbox"/>  | 240 x 160 x 50  | 120        |                           |
| <input type="checkbox"/>  | 160 x 160 x 50  | 216        |                           |
| <input type="checkbox"/>  | 80 x 160 x 50   | 48         |                           |
|  | <b>Total</b>    | <b>384</b> | <b>10.75m<sup>2</sup></b> |

Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.

Split packs available.






## Drivesett Tegula Priora<sup>®</sup>

Drivesett Tegula Priora has been designed to manage heavy rainfall in a sustainable way, with surface water passing through into the ground below. As a result, there is no need for planning permission or any additional drainage.


### Available colours



Traditional



Harvest



Pennant Grey

### Single Size Packs


|                          | Dimensions (mm) | No. Units | Coverage           |
|--------------------------|-----------------|-----------|--------------------|
| <input type="checkbox"/> | 240 x 160 x 60  | 232       | 8.91m <sup>2</sup> |
| <input type="checkbox"/> | 160 x 160 x 60  | 348       | 8.91m <sup>2</sup> |
| <input type="checkbox"/> | 120 x 160 x 60  | 492       | 9.45m <sup>2</sup> |

*The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS.*

*This range is manufactured across the UK so colour variation may alter slightly to images represented.*

*Sizes and coverage are actual and do not include joint width. See page 143 for additional notes on legislation and installation guidelines.*

**Split packs available.**



Drivesett Tegula Priora Harvest & Traditional  
Design & Install by Sandstone Landscape Construction, York






*Drivesett Tegula Charcoal  
Design & Install by A Dunlop Landscapes, Preswick*

# Drivesett® Tegula


Designed to create an established and time-worn appearance, this range of robust concrete blocks are one of the UK's most popular driveway choices and renowned for its lasting performance.

**Co-ordinating walling & kerbs available.**


## Available colours




Harvest




Autumn



Traditional



Pennant Grey




Charcoal

## Single Size Packs

|                          | Dimensions (mm) | No. Units | Coverage            |
|--------------------------|-----------------|-----------|---------------------|
| <input type="checkbox"/> | 240 x 160 x 50  | 284       | 10.91m <sup>2</sup> |
| <input type="checkbox"/> | 160 x 160 x 50  | 426       | 10.91m <sup>2</sup> |
| <input type="checkbox"/> | 120 x 160 x 50  | 606       | 11.64m <sup>2</sup> |

## Project Pack

Traditional, Harvest, Pennant Grey, Charcoal

|   | Dimensions (mm) | No. Units  | Coverage                 |
|---|-----------------|------------|--------------------------|
| <input type="checkbox"/>  | 240 x 160 x 50  | 142        |                          |
| <input type="checkbox"/>  | 160 x 160 x 50  | 152        |                          |
| <input type="checkbox"/>  | 160 x 120 x 50  | 20         |                          |
|  | <b>Total</b>    | <b>314</b> | <b>9.73m<sup>2</sup></b> |

*This range is manufactured across the UK so colour variation may alter slightly to images represented. Due to possible batch colour variation, project packs should not be mixed with single sizes.*

*Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.*

**Split packs available - selected sizes only.**



Mid range



84


101

## Concrete Driveways


# Drivesett Coppice®

Blended from light to dark in each colour mix, the single size pack contains five different blends which, when laid create an impression of multiple sized block paving. The blocks are lightly riven with an aged edge detail that creates a distinctive driveway.


### Available colours



Oak Blend



Cedar Blend



Pennant Blend

### Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|   |     |                   |
|---|-----|-------------------|
| <input type="checkbox"/> 240 x 160 x 50 | 250 | 9.6m <sup>2</sup> |
|---|-----|-------------------|

Sizes and coverage are actual and do not include joint width.  
See [page 143](#) for specific installation guidelines.

Split packs available.

Drivesett Coppice Cedar & Pennant Blend with an Oak Blend border detail  
Design & Install by Classic Paving, Stockport






Driveline Nova Coarse Brindle & Pebble Grey mix  
Design & Install by Garden TLC Ltd, Oldham


## Driveline Nova<sup>®</sup>

A paving option with lots of design capabilities and versatility. From the successful combination of two contrasting colours, a larger size option and two textures, smooth and coarse, Driveline Nova gives a traditional product a contemporary edge.


### Available colours




Smooth,  
Brindle



Smooth,  
Pebble Grey



Coarse,  
Brindle



Coarse,  
Pebble Grey

### Single Size Pack

|                          | Dimensions (mm) | No. Units | Coverage           |
|--------------------------|-----------------|-----------|--------------------|
| <input type="checkbox"/> | 300 x 150 x 50  | 216       | 9.72m <sup>2</sup> |

Sizes and coverage are actual and do not include joint width.  
See [page 143](#) for specific installation guidelines.

Split packs available.







## Savanna<sup>®</sup>

An all round great quality, great value product. Designed to create a classic driveway look and finish, with hardwearing performance, these classic shaped blocks are available in a range of contemporary colours and sizes to provide the right aesthetic for every property style.


### Available colours




Autumn



Traditional



Pennant Grey



Charcoal

### Single Size Packs

|   | Dimensions (mm) | No. Units | Coverage            |
|---|-----------------|-----------|---------------------|
| □ | 240 x 160 x 50  | 300       | 11.52m <sup>2</sup> |
| □ | 160 x 160 x 50  | 420       | 10.75m <sup>2</sup> |
| □ | 120 x 160 x 50  | 540       | 10.37m <sup>2</sup> |
| ≡ | 200 x 50 x 60   | 800       | 8.0m <sup>2</sup>   |

*This range is manufactured across the UK so colour variation may alter slightly to images represented.*

*Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.*

**Split packs available.**






Drivesett Natrale Slate  
Design & Install by Arun Driveways, Little Hampton

## Concrete Driveways

# Drivesett Natrale®

Drivesett Natrale uses realistic split stone face profiles to provide a cost effective and practical alternative to natural stone driveways. The varied selection of block sizes and warm colour mixes can be used to create attractive random designs.

## Available colours



Slate

## Single Size Packs

|                          | Dimensions (mm) | No. Units | Coverage            |
|--------------------------|-----------------|-----------|---------------------|
| <input type="checkbox"/> | 240 x 160 x 50  | 300       | 11.52m <sup>2</sup> |
| <input type="checkbox"/> | 160 x 160 x 50  | 420       | 10.75m <sup>2</sup> |
| <input type="checkbox"/> | 120 x 160 x 50  | 540       | 10.37m <sup>2</sup> |

Sizes and coverage are actual and do not include joint width.  
See [page 143](#) for specific installation guidelines.

Split packs available.








Driveline Priora Burnt Ochre


## Driveline Priora®

The affordable permeable driveway solution, available in a range of attractive and popular colour options to enhance every home. Driveline Priora manages driveway drainage by allowing surface water to pass through the joints directly into the ground below, therefore not overloading the drains and reducing flood risk. Due to this, no planning permission or additional drainage is required.


### Available colours




Buff




Bracken



Red



Burnt Ochre



Brindle



Charcoal

### Single Size Pack

|                          | Dimensions (mm) | No. Units | Coverage           |
|--------------------------|-----------------|-----------|--------------------|
| <input type="checkbox"/> | 200 x 100 x 60  | 404       | 8.08m <sup>2</sup> |

*The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS.*

*This range is manufactured across the UK so colour variation may alter slightly to images represented.*

*Sizes and coverage are actual and do not include joint width. See page 143 for additional notes on legislation and installation guidelines.*





90

66

Concrete Driveways


## Standard Block Paving

A cost effective block paving option, suitable for any style of home. Our standard block paving range offers a practical, longer-lasting and more attractive alternative to resin or asphalt products.

### Available colours




Natural




Buff




Bracken



Sunrise



Brindle



Charcoal

### Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                          |                |     |                    |
|--------------------------|----------------|-----|--------------------|
| <input type="checkbox"/> | 200 x 100 x 50 | 488 | 9.76m <sup>2</sup> |
|--------------------------|----------------|-----|--------------------|

*This range is manufactured across the UK so colour variation may alter slightly to images represented.*

*Sizes and coverage are actual and do not include joint width. See **page 143** for specific installation guidelines.*

Standard Block Paving Bracken  
Installed by James Bird Landscapes Ltd, Sheffield



# Drainage





*Driveline Drain Charcoal*

# Driveline Drain<sup>®</sup>

Driveline Drain is our concrete drainage system that provides a high performance solution to help reduce the risk of flooding and surface water. Designed to work with both contemporary and traditional styled projects, this product provides a more attractive and sustainable solution compared to metal or plastic drainage alternatives.

## Available colours



Natural



Charcoal

## Accessories



- 1: Driveline Drain
- 2: Rodding Box & Access Lid
- 3: Connector Plate

### Full Pack

| Dimensions (mm) | No. Units | Blocks ( <i>linear metre</i> ) |
|-----------------|-----------|--------------------------------|
|-----------------|-----------|--------------------------------|

|                 |     |    |
|-----------------|-----|----|
| 150 x 100 x 168 | 240 | 24 |
|-----------------|-----|----|

### Half Pack

| Dimensions (mm) | No. Units | Blocks ( <i>linear metre</i> ) |
|-----------------|-----------|--------------------------------|
|-----------------|-----------|--------------------------------|

|                 |    |     |
|-----------------|----|-----|
| 150 x 100 x 168 | 96 | 9.6 |
|-----------------|----|-----|

Accessories (2 & 3) are needed for a full installation. See installation guide for full details.

This product comes with specific installation instructions, see [page 143](#) for additional product notes.

Split packs available.






## Details that make all the difference

### A personal haven.

Your outdoor areas are more than spaces blended with the elements. They're places to reconnect with nature, to relax with a drink, to find magic in the mundane and enjoy time with the people we love. And, when these spaces are so interwoven with joy, why settle for anything less than perfection?


Our driveway essentials and finishing touches ensure that everything is exactly how you'd envisioned - down to the smallest details.





- 1 Stoneface® Sawn Veneer Silver Multi (page 100)
- 2 Stoneface® Drystack Veneer Slate Dusk (page 102)
- 3 Drivesett® 4-in-1 Kerb Pennant Grey (page 115)
- 4 Stoneface® Sawn Veneer Autumn Bronze Multi (page 100)
- 5 Exterior Tile Grout Mid Grey (page 126)
- 6 Phoenix Facing Brick Cottage Mix (page 109)

# Natural Stone Walling





# Sawn Versuro®

Elegant Sawn Versuro walling will enhance any garden setting. Made from the same ethically sourced quartzite Indian Sandstone as the Sawn Versuro paving range to give a perfectly co-ordinated finish.

**Co-ordinating paving & steps available.**


## Available colours




Caramel Cream  
Multi




Silver Multi



Golden Sand  
Multi







Autumn Bronze  
Multi




Sawn Versuro Walling Silver Multi  
Also shown: Argent Dark Coping

## Project Pack

| Dimensions (mm)   | No. Units  | Coverage                 |
|---|------------|--------------------------|
|  505 x 105 x 100 | 28         |                          |
|  405 x 105 x 100 | 28         |                          |
|  305 x 105 x 100 | 28         |                          |
|  205 x 105 x 100 | 32         |                          |
| <b>Total</b>  | <b>116</b> | <b>4.26m<sup>2</sup></b> |

## Straight Coping

| Dimensions (mm)  | No. Units | Coverage |
|--|-----------|----------|
|  500 x 136 x 50 | 50        |          |

Sizes and coverage quoted are based on working dimensions, attained with a 5mm joint. See [page 145](#) for specific installation guidelines.




## Traditional Natural Stone

A beautiful pitched or tumbled finish, providing the perfect choice for traditional yet striking walling designs. Made from ethically sourced sandstone, hand-selected for colour consistency and designed to blend perfectly with Marshalls natural stone paving products.

### Available colours




Tumbled,  
Autumn Bronze



Pitched Face,  
Autumn Bronze





Tumbled,  
Silver Birch




Pitched Face,  
Silver Birch

### Project Pack

|   | Dimensions (mm) | No. Units | Coverage           |
|---|-----------------|-----------|--------------------|
|  | 310 x 100 x 70  | 215       | 4.67m <sup>2</sup> |
|  | 230 x 100 x 70  | 290       | 4.67m <sup>2</sup> |

*Pitched Face Walling is faced on one side and two ends.  
Tumbled Walling is faced on all sides.*

*Sizes and coverage quoted are based on working dimensions, attained with a 10mm joint. See [page 145](#) for specific installation guidelines.*



Traditional Natural Stone Pitched Face Walling Silver Birch  
Design & Install by Perfect Paving Ltd, Keston



# Stoneface® Textured


This stunning walling comes in a mix of smooth and textured finishes, with a variety of lengths, widths and thicknesses creating a truly unique looking walling. The mix in textures creates a more subtle colour blend creating a stunning and soft looking feature wall area.

**Each pack comes with the right amount of primer and adhesive.**

## Available colours



Golden Sand  
Multi



Silver Birch  
Multi



Stoneface Textured Silver Birch Multi

Also shown: Sawn Versuro Antique Silver Multi Bullnose Steps as coping

## Project Pack

| Dimensions (mm)            | No. Units | Coverage                 |
|----------------------------|-----------|--------------------------|
| Box A = 0.54m <sup>2</sup> | 18        | 8.91m <sup>2</sup>       |
| Box B = 0.45m <sup>2</sup> | 17        | 8.91m <sup>2</sup>       |
| Box C = 0.36m <sup>2</sup> | 11        | 9.45m <sup>2</sup>       |
| <b>Total</b>               | <b>46</b> | <b>1.35m<sup>2</sup></b> |

Thickness calibrated to 15mm +/- 1.5mm.  
Min order 1 kit only. 1 Kit will contain box A, B and C\* including primer.

All products come with specific installation guidelines, see [page 145](#) for additional product notes.






*Stoneface Sawn Veneer Autumn Bronze Multi*  
*Also shown: SYMPHONY Elements Corten Bronze*

## Stoneface<sup>®</sup> Sawn Veneer


These beautiful natural stone veneers have been designed as cladding for existing or purpose built flat walls, combining all the aesthetics of sawn stone walling with the ease of the Stoneface installation method. Hand selected for a consistently matched colour blend that co-ordinates perfectly with all of the Sawn Versuro range.

**Each pack comes with the right amount of primer and adhesive.**


### Available colours




Caramel Cream  
Multi



Silver Multi








Golden Sand  
Multi



Autumn Bronze  
Mutli

### Project Pack

|   | Dimensions (mm) | No. Units | Coverage                |
|---|-----------------|-----------|-------------------------|
|  | 500 x 100 x 15  | 4         |                         |
|  | 400 x 100 x 15  | 4         |                         |
|  | 300 x 100 x 15  | 4         |                         |
|  | 200 x 100 x 15  | 4         |                         |
|  | 100 x 100 x 15  | 4         |                         |
| <b>Total</b>  |                 | <b>20</b> | <b>0.6m<sup>2</sup></b> |

*All products come with specific installation guidelines, see page 145 for additional product notes.*




# Stoneface® Drystack Veneer

Achieve a stunning finish that transforms existing or purpose built flat walls quickly and easily. These attractive natural stone veneers use a clever Z-cut panel format to disguise joint lines for a seamless effect.

**Each pack comes with the right amount of primer and adhesive.**

## Available colours




Oyster  
Quartzite




Harvest Mix  
Quartzite




Copper Slate



Slate Verte



Slate Dusk




Nero Quartzite




Nero Quartzite  
Mirror

## Single Size Pack

| Dimensions (mm)   | No. Units | Coverage            |
|---|-----------|---------------------|
|  150 x 550 | 7         | 0.577m <sup>2</sup> |

## Corner Pieces

Copper Slate, Harvest Mix Quartzite,  
Oyster Quartzite, Nero Quartzite, Slate Verte

| Dimensions (mm)   | No. Units | Coverage            |
|---|-----------|---------------------|
|  150 x 550 | 7         | 0.577m <sup>2</sup> |

Thickness calibrated to 15mm +/- 1.5mm.


All products come with specific installation guidelines, see [page 145](#) for additional product notes.



Stoneface Drystack Veneer Nero Quartzite



# Concrete Walling



# Argent<sup>®</sup>

Clean lines, cool grey colours and an attractive granite texture with sparkle gives Argent walling a modern look and feel.

**Co-ordinating paving, walling, coping & driveway setts available.**

## Available colours



Light



Dark

## Single Size Pack

| Dimensions (mm) | No. Units | Coverage          |
|-----------------|-----------|-------------------|
| 440 x 100 x 140 | 90        | 6.1m <sup>2</sup> |

Sizes are actual, with coverage attained assuming a 10mm joint width. See page 145 for specific installation guidelines.



Traditional Natural Stone Pitched Face Walling Silver Birch  
Design & Install by Perfect Paving Ltd, Keston





# Croft Stone<sup>®</sup>

Designed specifically for the construction of small retained planter walls, Croft Stone walling is the perfect DIY choice. With no mortar required, the walls can be built and rebuilt to suit individual designs.

## Available colours



Buff



Weathered

## Single Size Pack


| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|                          |                 |    |                   |
|--------------------------|-----------------|----|-------------------|
| <input type="checkbox"/> | 300 x 170 x 100 | 90 | 2.7m <sup>2</sup> |
|--------------------------|-----------------|----|-------------------|

Sizes and coverage are actual and do not include joint width. See [page 145](#) for specific installation guidelines.

For number of units required per linear measure please see website.

Split packs available.



Croft Stone Walling Weathered





*Marshalite Pitched Face Ash Multi*  
*Also shown: Argent Coping Dark*


# Marshalite®

Available in three natural and authentic stone finishes, a range of sizes and two attractive colours, Marshalite walling offers a versatile and effective choice to complement all garden design schemes.


## Available colours




Split Face,  
Buff




Pitched Face,  
Buff



Rustic,  
Buff






Pitched Face,  
Ash





Rustic,  
Ash

## Split and Pitched Packs

|   | Dimensions (mm) | No. Units | Coverage          |
|---|-----------------|-----------|-------------------|
|  | 440 x 100 x 140 | 90        | 6.1m <sup>2</sup> |
|  | 300 x 100 x 65  | 297       | 6.9m <sup>2</sup> |
|  | 220 x 100 x 65  | 360       | 6.2m <sup>2</sup> |

## Rustic Packs

|   | Dimensions (mm) | No. Units | Coverage          |
|---|-----------------|-----------|-------------------|
|  | 300 x 100 x 65  | 297       | 6.9m <sup>2</sup> |
|  | 220 x 100 x 65  | 320       | 5.5m <sup>2</sup> |

Sizes are actual, with coverage attained assuming a 10mm joint width. See [page 145](#) for specific installation guidelines.




# Tegula

Tegula walling features a high quality, rustic appearance designed to bring instant character to any property. The perfect combination to our popular Drivesett Tegula driveway paving.




**Co-ordinating kerb & driveway setts available.**

## Available colours



Traditional

## Single Size Pack

|   | Dimensions (mm) | No. Units | Coverage           |
|---|-----------------|-----------|--------------------|
|  | 440 x 100 x 140 | 80        | 5.5m <sup>2</sup>  |
|  | 300 x 100 x 65  | 240       | 5.6m <sup>2</sup>  |
|  | 220 x 100 x 65  | 320       | 5.52m <sup>2</sup> |

Sizes are actual, with coverage attained assuming a 10mm joint width. See page 145 for specific installation guidelines.



Tegula Walling Traditional

Installed by Brockstone Landscape Construction Ltd, Liverpool



## Phoenix Facing Brick

Recreating the timeless, warm look of quality crafted brickwork, Phoenix Facing Brick is made from concrete and offers the character and beauty found in historic handmade bricks, with the strength and durability of modern brick.

### Available colours



Cottage Mix

### Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|  |     |                   |
|--|-----|-------------------|
|  215 x 100 x 65 | 396 | 6.6m <sup>2</sup> |
|--|-----|-------------------|

Sizes are actual, with coverage attained assuming a 10mm joint width. See page 145 for specific installation guidelines.



Phoenix Facing Brick Cottage Mix  
Also shown Antique Alverno Silver Birch Multi







*Sawn Versuro Caramel Cream Multi*

# Bullnose Steps


## Available colours



Sawn Versuro®,  
Caramel Cream Multi



Sawn Versuro®,  
Golden Sand Multi



Sawn Versuro®,  
Autumn Bronze Multi




Sawn Versuro®,  
Antique Silver Multi




Granite Eclipse®,  
Light




Granite Eclipse®,  
Dark



Granite Eclipse®,  
Graphite



Casarta Slate®,  
Silver Grey



Casarta Slate®,  
Black

## 10 Step Kit

|  | Dimensions (mm) | No. Units |
|--|-----------------|-----------|
| <input type="checkbox"/> Centre Stone  | 560 x 350 x 50  | 10        |
| <input type="checkbox"/> Corner Radius | 350 x 350 x 50  | 20        |

## Centre Stone Pack

|                                       | Dimensions (mm) | No. Units |
|---------------------------------------|-----------------|-----------|
| <input type="checkbox"/> Centre Stone | 1000 x 350 x 50 | 10        |
| <input type="checkbox"/> Centre Stone | 560 x 350 x 50  | 30        |

*Casarta Slate steps are 40mm thick.*

**Split packs available.** Split packs are supplied in Single Step Kits.






# Coping & Caps

## Available colours




Argent®,  
Light




Argent®,  
Dark




Heritage®,  
Yorkstone




Heritage®,  
Old Yorkstone



Saxon®,  
Buff





Drivesett®,  
Traditional




Precast,  
Off White



### Argent Coping

|   | Dimensions (mm) | No. Units | m/pack |
|---|-----------------|-----------|--------|
|  | 600 x 136 x 50  | 50        | 30.5   |
|  | 600 x 272 x 50  | 25        | 15.3   |


### Heritage Coping

|   | Dimensions (mm) | No. Units | m/pack |
|---|-----------------|-----------|--------|
|  | 600 x 300 x 38  | 44        | 34.2   |



### Saxon Coping

|   | Dimensions (mm) | No. Units | m/pack |
|---|-----------------|-----------|--------|
|  | 600 x 136 x 50  | 50        | 30.5   |
|  | 600 x 272 x 50  | 25        | 15.3   |



### Drivesett Coping

|   | Dimensions (mm) | No. Units | m/pack |
|---|-----------------|-----------|--------|
|  | 600 x 300 x 45  | 20        | 6      |

### Precast Coping

|   | Dimensions (mm)      | No. Units | m/pack |
|---|----------------------|-----------|--------|
|    | 600 x 140 x 50 to 30 | 56        | 33.6   |
|  | 600 x 280 x 50 to 30 | 27        | 16.2   |

### Precast Pillar Caps

|   | Dimensions (mm)      | No. Units | m/pack |
|---|----------------------|-----------|--------|
|  | 380 x 380 x 76 to 32 | 24        |        |
|  | 280 x 280 x 63 to 32 | 48        |        |

See [page 145](#) for specific installation guidelines.

# Kerbs & Edging




## 4-in-1 Kerb

One unit that gives four possibilities, Driveline 4-in-1 is the most contemporary version offering a smooth edging profile. Drivesett 4-in-1 has been subtly tumbled to give a timeworn appearance with rustic edges.


### Available colours



Driveline® 4-in-1,  
Brindle



Drivesett® 4-in-1,  
Pennant Grey



Driveline® 4-in-1,  
Charcoal



### Driveline 4-in-1

| Dimensions (mm) | No. Units |
|-----------------|-----------|
| 100 x 100 x 200 | 240       |



### Drivesett 4-in-1

| Dimensions (mm) | No. Units |
|-----------------|-----------|
| 100 x 100 x 200 | 240       |

*This range is manufactured across the UK so colour variation may alter slightly to images represented.*

See [page 145](#) for specific installation guidelines.

**Split packs available.**



Drivesett 4-in-1 Kerb Pennant Grey



Tegula Kerb Pennant Grey


# Marshalls Block Kerb

All driveways will require some form of edge restraint for long-lasting structural stability. Provides attractive restraining edges for driveway and paving projects in some of our most popular aesthetics. These products can be laid easily to retain different shapes and orientations.


## Available colours



Drivesett®,  
Traditional



Drivesett®,  
Harvest




Drivesett®,  
Pennant Grey



Tegula®,  
Traditional



Tegula®,  
Pennant Grey



Savanna®,  
Charcoal

### Drivesett

#### Standard Kerb

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|  |     |
|--|-----|
|  120 x 80 x 240 | 192 |
|--|-----|

### Tegula

#### Standard Kerb

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |     |
|---|-----|
|  130 x 160 x 250 | 120 |
|---|-----|

#### Radial Internal & External

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|  |    |
|--|----|
|  130 x 160 x 96 x 250 | 60 |
|--|----|

#### Return Internal & External

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |   |
|---|---|
|  160 x 160 x 250 | 1 |
|---|---|

### Savanna

#### Standard Kerb

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |     |
|---|-----|
|  130 x 160 x 250 | 108 |
|---|-----|

*This range is manufactured across the UK so colour variation may alter slightly to images represented.*

See [page 145](#) for specific installation guidelines.

**Split packs available.**

# Keykerb®

Essential to the look and practicality of every project, Keykerb large and small units are designed to work as a barrier or restraint between soft or decorative landscaping and a driveway or paving space.

Visit our website for additional dimensions.

## Available colour



Charcoal

### LARGE PROFILES

| Image No. | Keykerb Large   | Image No. | Dimensions (mm) | No. items/pack |
|-----------|---|-----------|-----------------|----------------|
| 1         | Standard (Dual purpose bullnosed and half battered)   | 1         | 100 x 127 x 200 | 252            |
| 2         |   |           |                 |                |
| 3         | Radial Bullnosed (Dual purpose internal/external)     | 3         | 70 x 127 x 200  | 72             |
| 4         |   |           |                 |                |
| 5         | 90° Angle External (half battered)                    | 4         | 127 x 127 x 200 |                |
| 6         |   |           |                 |                |
| 7         | Radial Half battered (Dual purpose internal/external) | 5         | 70 x 127 x 200  | 72             |
| 8         |   |           |                 |                |
|           | 90° Angle Internal (bullnosed)                        | 6         | 127 x 127 x 200 |                |
|           |   |           |                 |                |
|           | 90° Angle External (bullnosed)                        | 7         | 127 x 127 x 200 |                |
|           |   |           |                 |                |

### SMALL PROFILES

| Image No. | Keykerb Small                                     | Image No. | Dimensions (mm) | No. items/pack |
|-----------|---|-----------|-----------------|----------------|
| 9         | Standard (Dual purpose bullnosed and splay)       | 9         | 100 x 127 x 125 | 378            |
| 10        |   |           |                 |                |
| 11        | Radial Splay (Dual purpose internal/external)     | 11        | 70 x 127 x 125  | 108            |
| 12        |   |           |                 |                |
| 13        | 90° Angle Internal Splay                          | 12        | 127 x 127 x 125 |                |
| 14        |   |           |                 |                |
| 15        | 90° Angle External Splay                          | 13        | 127 x 127 x 125 |                |
| 16        |   |           |                 |                |
|           | Radial Bullnosed (Dual purpose internal/external) | 14        | 70 x 127 x 125  | 108            |
|           |   |           |                 |                |
|           | 90° Angle Internal (bullnosed)                    | 15        | 127 x 127 x 125 |                |
|           |   |           |                 |                |
|           | 90° Angle External (bullnosed)                    | 16        | 127 x 127 x 125 |                |
|           |   |           |                 |                |

Keykerb Small Profile Charcoal

See page 145 for specific installation guidelines.

Split packs available.






*Driveline Channel Charcoal*

## Driveline<sup>®</sup> Channel

Driveline Channel can be used to channel water to a soakaway within the property boundary in line with Government legislation. This product co-ordinates with many of the Marshalls Driveway products and a number of other surface materials.

### Available colour



Charcoal


### Single Size Pack

|                          | Dimensions (mm) | No. Units | Linear m/pack |
|--------------------------|-----------------|-----------|---------------|
| <input type="checkbox"/> | 200 x 200 x 65  | 240       | 48            |

# Drivesys<sup>®</sup> Roundtop Edging

Complimenting the full Drivesys driveway range, the Roundtop Edge defines a driveway giving it a contemporary and sleek appearance.

## Available colour



Basalt

## Single Size Pack

| Dimensions (mm) | No. Units | Coverage |
|-----------------|-----------|----------|
|-----------------|-----------|----------|

|  |    |                    |
|--|----|--------------------|
|  915 x 150 x 60 | 40 | 36.6 Linear M/pack |
|--|----|--------------------|

*Split packs available - minimum quantities apply.*



Drivesys Roundtop Basalt






# Drivesett Argent<sup>®</sup> Edging

Drivesett Argent Edging has the same premium granite look as the Argent range and can be used to match or contrast our driveway or paving range.


## Available colours



Natural



Light



Dark

## Single Size Pack

Dimensions (mm) No. Units Coverage

|   |                |    |                     |
|---|----------------|----|---------------------|
|  | 915 x 150 x 63 | 48 | 43.92 Linear M/pack |
|---|----------------|----|---------------------|

See [page 145](#) for specific installation guidelines.

**Split packs available - minimum quantities apply.**



Drivesett Argent Natural Edging







*Hewnstone Edging Light Buff*

# Borders


## Available colours



Sawn Versuro®,  
Caramel Cream Multi




Sawn Versuro®,  
Golden Sand Multi




Sawn Versuro®,  
Autumn Bronze Multi



Sawn Versuro®,  
Antique Silver Multi



Round Top, White




Round Top, Buff




Contour, Buff




Victorian Rope Top




Saxon®, Buff



Hewnstone Edging,  
Light Buff



Hewnstone Edging,  
Autumn



Argent®, Light



Argent®, Dark

### Sawn Versuro

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |                |    |
|---|----------------|----|
|  | 900 x 150 x 50 | 20 |
|---|----------------|----|

### Round Top

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |                |    |
|---|----------------|----|
|  | 600 x 150 x 50 | 54 |
|---|----------------|----|

### Contour

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |                |    |
|---|----------------|----|
|  | 600 x 150 x 50 | 54 |
|---|----------------|----|

### Victorian Rope Top

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |                |    |
|---|----------------|----|
|  | 590 x 180 x 50 | 30 |
|---|----------------|----|

### Saxon

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |                |    |
|---|----------------|----|
|  | 600 x 136 x 50 | 50 |
|---|----------------|----|

### Hewnstone

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |                |    |
|---|----------------|----|
|  | 200 x 450 x 50 | 20 |
|---|----------------|----|

### Argent

| Dimensions (mm) | No. Units |
|-----------------|-----------|
|-----------------|-----------|

|   |                |    |
|---|----------------|----|
|  | 600 x 136 x 50 | 50 |
|---|----------------|----|

Split packs available - minimum quantities apply.



# Jointing Compounds



Selecting the right jointing compound is vital, as every Marshalls Jointing Compound is made specifically for the material they will be installed with to create a strong and durable finish. To help you determine the most effective jointing compound for your project, we've put together the below installation matrix. For further information or guidance, please contact Group Technical Services on 0370 411 2233.

| Installation                                    | Kiln Dried Sand | Weatherpoint® 365                         | SYMPHONY® Jointing  | Exterior Tile Grout    | Exterior Jointing Grout                | Drivesys® Jointing Compound               |
|---|-----------------|---|---------------------|------------------------|--|---|
| <b>Ideal for Paving Installations</b>           | ✓               | ✓   | ✓                   | ✓                      | ✓                                      |   |
| Porcelain Paving                                |                 |   | ✓                   | ✓                      | ✓                                      |   |
| Sandstone Paving                                |                 | ✓   |                     |                        | ✓ Smooth Surface Only                  |   |
| Limestone Paving                                |                 | ✓   |                     |                        |  |   |
| Granite Paving                                  |                 |   |                     | ✓                      |  |   |
| Marble Paving                                   |                 |   |                     |                        |  |   |
| Slate Paving                                    |                 | ✓   |                     |                        |  |   |
| Concrete Paving                                 | ✓               | ✓   |                     |                        |  |   |
| <b>Ideal for Driveway Installations</b>         | ✓               |   |                     |                        | ✓                                      | ✓ Drivesys only                           |
| Concrete Driveways                              | ✓               |   |                     |                        |  |   |
| Natural Stone Driveway Setts                    |                 |   |                     |                        | ✓                                      |   |
| Porcelain Driveways (30mm)                      |                 |   |                     |                        | ✓                                      |   |
| Drivesys® Driveway System                       |                 |   |                     |                        |  | ✓   |
| <b>Application</b>                              |                 |   |                     |                        |  |   |
| Joint Width                                     | 2-5 mm          | 10-15 mm                                  | 5-8mm               | 3-5mm                  | 3-50mm & min 20mm depth                | 5-30 mm                                   |
| Bed Type  | Flexible        | Rigid                                     | Rigid               | Rigid                  | Rigid                                  | Semi-Flexible                             |
| Installation                                    | Brush           | Wet & Brush                               | Brush               | Squeegee or Tile Blade | Squeegee or Brush                      | Wet & Brush                               |
| Installation Temperature                        | 5-25°C          | 5-25°C                                    | 5-25°C              | 5-25°C                 | 5-20°C                                 | 5-25°C                                    |
| Weather Conditions                              | Dry             | Dry/Light Rain                            | Dry                 | Dry                    | Dry, no rain within 6 hours of install | Dry/Light Rain                            |
| Technical Difficulty<br>(★ = easy ★★★★★ = hard) | ★               | ★★  | ★★                  | ★★★★                   | ★★★★                                   | ★★★★                                      |
| Cure Time<br>(depending on weather conditions)  | n/a             | 24 hours crusting,<br>30 days fully cured | Walk on immediately | 6-12 hours             | Initial 1 hour                         | 72 hours crusting,<br>30 days fully cured |



Exterior Tile Grout Mid Grey

Also shown: SYMPHONY Matte Botanic & Carbon and SYMPHONY Elements Metallic Teal


## Exterior Tile Grout

Available in a range of six contemporary colours, Exterior Tile Grout delivers a smooth and sleek look to all outdoor paving including Porcelain and Granite.


### Available colours




White




Jasmine




Silver Grey



Mid Grey



Slate Grey



Anthracite

### Single Size Tub

| Weight (kg) | Joint size (mm) | Coverage        |
|-------------|-----------------|-----------------|
| 15          | 3-5             | 4m <sup>2</sup> |

*Not recommended for use on a driveway, or with products laid on a flexible bed. Installation should be carried out by a landscaping professional.*

*Based on 600 x 600 x 20 paving unit with 3mm joint.*

**Please note: 12 month shelf life from date of manufacture.**


## Exterior Jointing Grout

Exterior Jointing Grout is a cementitious jointing grout which will deliver a traditional look to garden paving and driveways. Ideal for use with porcelain and some natural stone ranges.

### Available colours



Natural



Charcoal

### Single Size Tub

| Weight (kg) | Joint size (mm) | Coverage         |
|-------------|-----------------|------------------|
| 25          | 3-50            | 25m <sup>2</sup> |



*Based on Sawn Versuro 560 x 560 with a joint width of 10mm.*

*Please note: Installation should be carried out by a landscaping professional. Not recommended for use on Drivesys or products laid on a flexible bed.*

**Please note: 12 month shelf life from date of manufacture.**

Exterior Jointing Grout Natural



# Weatherpoint® 365

Weatherpoint 365 all weather jointing material speeds up installation time, reduces labour involvement and can be laid all year round, come rain or shine. With no mixing or waste, Weatherpoint 365 will withstand light pressure washing.

## Available colours



Buff



Grey



Weatherpoint 365 Grey

### Single Size Tub

| Weight (kg) | Joint size (mm) | Coverage        |
|-------------|-----------------|-----------------|
| 15          | 10-15           | 7m <sup>2</sup> |

*This product is not a suitable jointing option for all paving materials. Therefore, it is not recommended for use with Granite Eclipse or porcelain paving ranges.*

*Coverage is a guide based on a 450 x 450 plan size with 10mm joints at 35mm deep. Minimum 20mm joint depth for paving.*

**Please note: 24 month shelf life from date of manufacture.**

## SYMPHONY<sup>®</sup> Jointing Compound

Developed specifically for use with the Marshalls porcelain paving ranges. Available in two colours to compliment all products in the range, this fine textured porcelain jointing compound offers a smooth, more aesthetically pleasing finish to your project.

### Available colours



Buff



Stone Grey

### Single Size Tub

| Approximate coverage (m <sup>2</sup> ) | Kg per pack | Joint widths |
|--|-------------|--------------|
| 16-23                                  | 20          | 3-8mm        |

*Coverage varies based on joint width and paving product being installed.  
Minimum 20mm joint depth for paving.*

**Please note: 24 month shelf life from date of manufacture.**

SYMPHONY Jointing Compound Buff

# Drivesys<sup>®</sup> Jointing Compound

Using Drivesys Jointing Compound along with our patented Drivesys block paving delivers unrivalled performance to your driveway.

## Available colour



Stone Grey

## Pack Size

|   | Approximate coverage (m <sup>2</sup> ) | Kg per pack | Joint widths |
|---|--|-------------|--------------|
| □ | 5                                      | 15          | 5-30mm       |

*Please note: 24 month shelf life from date of manufacture.*




Drivesys Jointing Compound Stone Grey


## Kiln Dried Sand & Paving Primer

Complete your project using Marshalls Joint Filling Sand, a special kiln dried sand with a fine grading which falls easily into joints. Paving Primer is a high bond strength primer which is ideal for use on all outdoor paving.


### Kiln Dried Sand



### Paving Primer





#### Single Bag

|   | Weight per bag (kg) | Coverage per bag |
|---|---------------------|------------------|
|  | 25                  | 6m <sup>2</sup>  |

#### Single Bag

|   | Weight per bag (kg) | Yield per bag (l) |
|---|---------------------|-------------------|
|  | 20                  | 17                |

# Extras





Extras

## Telescopic Posts

Telescopic Security Post is a simple but effective security device. They can be used both in front of the garage and at the driveway entrance to deter theft.



### Single Post

| No. Item | Weight (kg) | Colours                        |
|----------|-------------|--------------------------------|
| 1        | 22          | Black, Yellow, Stainless Steel |

## Pedestals

Pedestals create a structurally robust 'floating floor' system which can be used with selected sizes and ranges of our porcelain, natural stone and concrete paving. Pedestals can be used on terraces, rooftops and for patio makeovers (where a stable base has already been installed).



Self-Levelling



Fixed Head




Stackable Support Pad

|                                       | Dimensions (mm) | No. Units |
|---------------------------------------|-----------------|-----------|
| <b>Adjustable Paving Pedestal</b>     | 22-35           | 25        |
|                                       | 35-55           |           |
|                                       | 55-95           |           |
|                                       | 95-165          |           |
|                                       | 165-235         |           |
|                                       | 200-270         |           |
| <b>Self-levelling Paving Pedestal</b> | 40-56           | 25        |
|                                       | 50-70           |           |
|                                       | 70-110          |           |
|                                       | 110-160         |           |
|                                       | 150-210         |           |
|                                       | 200-300         |           |
| <b>Stackable Paving Pedestal</b>      | 150 x 10        | 250       |
|                                       | 150 x 15        |           |

See [page 145](#) for specific installation guidelines.

Split packs available.



Sawn Versuro Caramel Cream

## Green-Away<sup>®</sup>

The ideal solution to remove mould, algae and lichen from all patio, driveway and pavement surfaces. It's also perfect for prevention and maintenance on your new project, so apply annually to keep mould, algae and lichen from developing.

**For step by step instructions, please visit our website.**

### Single Tub



| Size | Coverage |
|------|----------|
|------|----------|

|    |                   |
|----|-------------------|
| 5L | 300m <sup>2</sup> |
|----|-------------------|

*Marshalls Green-Away comes in a handy 5L bottle covering up to a huge 300m<sup>2</sup> area when using our 12L professional sprayer.*





## Technical Information

**All the information held within this brochure was correct at the time of print and is subject to change.** We would therefore recommend that you check our website for the latest information and digital brochure. Alternatively, please contact our Group Technical Services on 0370 411 2233 or email [grouptechnicalservices@marshalls.co.uk](mailto:grouptechnicalservices@marshalls.co.uk).

# Important General Technical Information

## Efflorescence

Efflorescence is a transient phenomenon of Ordinary Portland cement used in the manufacture of concrete products. The occurrence of efflorescence in the pores of the concrete can lead to the appearance of white patches on the surface or an overall lightening of colour, which is often mistaken for the product fading.

Whilst the appearance of efflorescence may be a concern, it is temporary and does not in any way affect the durability or long-term performance of the concrete. Natural exposure to weathering is generally sufficient to erode the efflorescence and indeed it is always recommended that an initial period of weathering be allowed to take place.

Responsibility cannot be accepted for its occurrence. For further information, contact Group Technical Services.

## Other & Weathering

Weathering and site conditions can occasionally cause other variations in shade to appear. Differential weathering can cause patchy dark discolourations on the surface of individual units. This will generally diminish over time and will not affect long term performance. Natural stone may develop added markings, deposits or patches as mineral content oxidises.

All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant-life; specialist maintenance advice may need to be sought.

Marshalls cannot accept responsibility for any of the above conditions.

## Maintenance

Paving materials require periodic cleaning to maintain their appearance. Regular sweeping to prevent the build-up of detritus is recommended.

Light coloured blocks, whilst structurally sound for driveway use, do emphasise tyre marks and oil spills on the driveway.

It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.

Proprietary cleaning agents are widely available. However, care should be taken when buying cleaning agents as some varieties contain a concentration of acid, which can adversely affect the appearance of concrete products, clay and natural stone.

A trial on a small section of paving is always recommended prior to using on the full area.

For general cleaning of dirt and algae, vigorous brushing with a stiff yard broom with plenty of hot detergent solution (washing up liquid or non-bio washing powder), thoroughly rinsed with clean water should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/near permanent shade. In certain circumstances, prolonged contact with wet leaves can result in staining of the paved area. Such contact should be avoided wherever practical.

## Power-washing

Power-washing with high-pressure equipment is not normally required. Should these methods be employed, the following precautions should be observed:

- i. Paving should be thoroughly swept to remove detritus (loose debris) that could act as an abrasive agent when moved by the force of a power jet.
- ii. A trial area should be tested before larger scale power-washing takes place.
- iii. No more than a medium pressure should be applied when washing paving.
- iv. The power-washing lance should be held at an oblique angle to the paving and at least 200mm (8") from the surface.
- v. If excess sand is washed from the joints during the washing exercise, it is important that the joints are re-sanded with similar materials upon completion.

- vi. If mortar joints between pavings are damaged during power-washing they should be re-pointed/made good with fresh pointing as required, to maintain the integrity of the paving.

For more information visit our website and download the Marshalls Cleaning & Maintenance Guide.

## Suitability/Application

For more information visit our website and download the Marshalls Cleaning & Maintenance Guide.

The paving flags illustrated in this literature are primarily intended for domestic/landscape use only.

Paving flags suitable for areas subject to intense foot traffic, i.e. pedestrian precincts and commercial applications, etc. are detailed in separate literature. This literature is available on request by telephoning our Group Technical Services team.

For areas subject to vehicular overrun (driveways, parking areas, etc.), block paving products are recommended, (see Driveways section). The block paving products illustrated in this literature are intended for pedestrian and light vehicular overrun applications (driveways and similar).

For pavements subject to frequent overrun of heavy vehicles, block paving from our commercial/specification range should be used. These are detailed in separate literature, copies of which are available on request. Should customers be in doubt as to the suitability of any Marshalls product for a given application, please obtain guidance from Group Technical Services.

## Colour Variation

The colours shown in this literature are as exact as photographic and printing processes will allow. You can get samples from our website. We strongly recommend that colours are judged and chosen from actual materials rather than photographic representation depicted herein. Although every effort is made to ensure consistency of product colour, variations between production batches can occur. We therefore recommend that, when purchasing materials,

especially in the case of larger quantities, they all come from the same batch and that products are thoroughly mixed on site by drawing from a minimum of three packs.

#### Batch Variation

##### Concrete

Concrete products are made from naturally occurring materials, which means these materials can vary in colour, resulting in a slight variation in a finished product. Despite the use of quality materials, modern and up to date manufacturing techniques and quality control, variation between production batches can occur. Whilst any differences are generally quite minor, they will be noticeable when units from two production batches are laid consecutively within a single area.

We would always advise that batch codes are checked to reduce the risk of product variation and ensure consistency of finish. To prevent this, when multiple packs are being laid in one consecutive area, please ensure you check that they are all from the same production. The batch label will display the product code, with the first two letters identifying the works of origin and the week number indicating which week of the year the product was produced.

##### Porcelain

Colour variation can occur during the manufacturing process of porcelain products. To minimise any variation issues in our ranges, Marshalls only source from first choice tiles, which means we only take product from a reduced colour scale. We aim to always send your order from the same batch code, which can be found on all packaging. Please check all pack information is consistent before installation. The batch code is present on all packaging and is usually shown as a letter, followed by a number.

For our porcelain ranges where multiple sizes are available, we also do not recommend mixing product, even where batch codes are consistent. This is due to product being manufactured at different locations.

If you have any concerns, please contact our Group Technical Services Team

##### Natural Stone

The natural origin of stone means that variation in colour, texture and markings is inevitable and is an inherent characteristic of all natural stone.

However, what differentiates Marshalls natural stone from our competitors is that all our stone goes through an agreed selection process for colour, which creates a more subtle and consistent blend across a finished project.

If you have any concerns, please contact our Group Technical Services Team.

#### Availability

Details of pack contents are listed for the guidance of stockists.

Product dimensions and weight, etc. are nominal and subject to manufacturing tolerances.

Trademarked and Patented Paving System

Priora is patented in UK and EP079168931.

® is used throughout the brochure to denote range that are registered trade marked in the UK (or in the UK/EU) in the name of Marshalls Mono Limited

#### Natural Stone

In natural stone iron spots can sometimes be identified, after installation. This is due to oxidisation of iron materials within the matrix of the stone. This does not effect the structural integrity of the stone.

#### Staining

Certain common garden chemicals such as Ferrous Sulphate can stain paving. Please check the information given on the container holding the chemical. If chemicals are spilt on the paving remove immediately by rinsing away with clean water.

#### Marshalls Commitment to Quality & Innovation

Marshalls is committed to innovative product development and manufacture. To help you obtain maximum enjoyment and long service from any Marshalls product, we would be pleased to make you aware of the following:

The evolution of new product design is continuous and information is subject to change without notice. Customers should check with the stockist to ensure that they have the latest details.

All Marshalls products are manufactured to the appropriate European Standard where applicable. Where products (or intended usage) lie outside the scope of a British (or European) Standard, Marshalls own standard will be employed.

All products are supplied subject to Marshalls Standard Conditions of Sale, a copy of which is available on request. Liability in respect of any statements, conditions, warranties and representations made on behalf of the Company is limited in accordance with the terms set out in the Standard Conditions of Sale.

#### Health and Safety

Care should be taken when handling and installing Marshalls products. Guidelines on the Control Of Substances Hazardous to Health (COSHH) are available for all Marshalls products, either through our website, or from Group Technical Services.

#### Marshalls Register

All Marshalls Register members are independent businesses and whilst assessed for their installation skills they are not employed by Marshalls.

Marshalls Register of installers are regularly inspected to ensure they comply with the membership agreement. Marshalls are not a party to the contract between the Registered installer and the customer. Marshalls cannot be held responsible for any installation undertaken by a Marshalls Register installer.

#### Becoming a Register Installer

Details of membership are available from Marshalls Register support team on 0345 820 5000 or visit [www.marshalls.co.uk/installer](http://www.marshalls.co.uk/installer)

## Paving Notes

### Common to all Marshalls Natural Stone:

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of quality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 13 for more information).
- All Marshalls Indian Sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard.
- The natural origin of stone means variation in colour, texture and natural markings is inevitable. Marshalls strive through expert hand selection to ensure the integrity of each natural stone range, however as in all natural products some variation may occur.
- Natural Stone products come with specific installation guidelines.
- Please note granite and marble are not suitable for use with WeatherPoint 365.
- For best practice, please slurry prime all natural stone and porcelain paving using Marshalls Paving Primer.
- If you are laying any Marshalls patio materials for the first time, please contact Group Technical Services or visit our website [www.marshalls.co.uk](http://www.marshalls.co.uk) for installation advice.

### Scoutmoor

- This pack is made up of random length pieces between 300 – 900mm. 15 linear metres of each gauge supplied. 18m<sup>2</sup> coverage without joints. Depending on the sizes in the pack the coverage with a joint will be between 18.5m<sup>2</sup> and 19m<sup>2</sup>.
- This product is supplied 'direct to site' only.
- Slurry back natural stone to increase adhesion and prevent staining.
- It is recommended that you contact Group Technical Services for best installation advice when laying this paving.

### Sawn Versuro

- Remember if used indoors this paving should be sealed with a proprietary water based acrylic sealant.
- When using Large Size, due to the weight of the units mechanically aided lifting is essential.
- Please note Large Sizes can only be delivered direct to site.
- Slurry back natural stone to increase adhesion and prevent staining.

### Granite Eclipse

- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces. Occasionally small micro-fissures can be apparent within Granite Eclipse Graphite, these are not a sign of weakness and cause no issue technically to the stone.
- Make sure, if used indoors, paving is sealed with a proprietary water-based acrylic sealant.
- This paving is ideal for use with Exterior Tile Grout. We would advise the application of a Temporary Stone Sealer before the application of the grout to maintain the finish to the paving.
- Slurry back natural stone to increase adhesion and prevent staining.

### Antique Alverno

- This paving is carefully calibrated to a consistent thickness to ensure speed and precision of installation.
- Slurry back natural stone to increase adhesion and prevent staining.

### Casarta Slate

- Natural slate inevitably shows variation in colour, so viewing the actual samples is always recommended.
- Dark slate sometimes exhibit surface blemishes during installation, these will weather in over time.
- If used indoors an appropriate water-based sealant is recommended.
- Slurry back natural stone to increase adhesion and prevent staining.

### Towngate

- This paving has not met the rigorous colour tolerance grading given to our premium grade Versuro Sandstone, therefore more colour variation may be apparent when laid.
- Slurry back natural stone to increase adhesion and prevent staining.

#### Natural Slate

- This is a natural split product; the thickness can therefore vary between 18-24mm.
- Slurry back natural stone to increase adhesion and prevent staining.

#### Alvanley Pavers

- This product is not intended for driveways.
- Requires a rigid installation with a joint width of 10mm.
- Slurry back natural stone to increase adhesion and prevent staining.

#### Limestone Aluri

- This natural limestone may inevitably present minor variations in colour, texture and markings. This is a natural characteristic of this product.
- Please note that this product can lighten slightly over a period time. This is a natural weathering process. Cleaning with acid based products should be avoided because this will cause a rapid lightening of the surface.
- Install on a full mortar bed. Slurry back natural stone to increase adhesion and prevent staining.

#### Indian Sandstone Riven

- Surface imperfections may present themselves on the surface of the product following installation. This happens when natural minerals already held within the stone, become exposed to the elements. This is aesthetic and does not impact the durability of the stone itself. If this causes a concern, there are products available to remove most imperfections.
- Always lay larger face upwards.
- Slurry back natural stone to increase adhesion and prevent staining.

#### Porcelain SYMPHONY, Adara & Arrento

- Prior to handling and installation, check the paving for damage. Complaints about visible damage will not be accepted after installation.
- There may be some colour variation between production batches. Batch codes, quantity and colour should therefore be checked prior to install.
- A dry lay of this product is recommended before installing onto the full mortar bed to ensure the best colour blend is achieved.
- Please make a note of the shade code of the product you have received. This will be advantageous if you need to place orders at a later date to complete a job as it will allow us to send the best match possible.
- Customers should not mix different sizes of the same colour, as there could be colour/shade variation due to the different batches.
- Porcelain paving, must be primed with a Marshalls Paving Primer before installing onto a full mortar bed. All building materials should be protected from bad weather, both during storage and after initial installation.
- Packs of SYMPHONY are supplied with just the right amount of your chosen jointing product. Choose between Exterior Jointing Grout or Exterior Tile Grout.
- For perfect results these products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact Group Technical Services for further information.
- Arrento individual sizes are not suitable to be installed together, even if the batch code is the same.

#### Argent

- For a contemporary look choose Argent Smooth, for greater slip skid properties try Argent Textured.

#### Heritage

- Paving should be bedded on a full bed of mortar with rigid joints.

#### Firedstone

- Paving should be bedded on a full bed of mortar, with rigid joints.

#### Textured & Utility Paving

- Although performance is good, sizes and colours will be limited, and finish may be varied.
- Sizes listed assume 10mm joint width. Utility paving is ideal for service areas where high finish aesthetics is less important.

## Driveway Notes

### General Driveway Notes

- All Marshalls driveway products in this brochure are designed for domestic vehicles only, they are not designed for commercial vehicles.
- Driveways must be installed with edge restraints for stability.
- Driveways must be installed in accordance with current legislation to manage and control water run-off.

### Natural Stone Driveway

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of quality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources.
- All Marshalls sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard.
- Due to the nature of this product, you may see some colour variation in natural stone products.

### Concrete Driveway

- Mix blocks from a minimum of 3 of packs to ensure the correct colour blend.
- Take blocks from vertical columns rather than horizontal layers unless otherwise stated.
- Marshalls concrete block paving is manufactured in different factories. Colour may vary slightly across these works of manufacture.
- Marshalls can supply kiln dried sand, contact your local service centre for more information.
- Jointing sand should be introduced before the initial vibration and a rubber-faced matting on the vibrating plate should be used, except for SYMPHONY Plus Drive, where units should not be vibrated.

### Natural Stone Driveways

- Where a full mortar bed install is recommended, it is best practice to coat the back of each block with Marshalls Paving Primer before laying. This will assist bonding and stop draw through from the bed.

### Driveway Setts

- Please note due to the nature of this product significant variation between stones can occur.
- For paths and edging smaller quantities can be ordered via the split pack service.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services for more information.

### Natural Stone Setts

- Please note due to the nature of this product significant variation between stones can occur.
- Split and tumbled setts are calibrated.
- For paths and edging smaller quantities can be ordered via the split pack service.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services on for more information.

### Scoutmoor setts

- Spoiling may occur on a number of units, this is a natural phenomenon.
- Please note due to the nature of this product significant variation between stones can occur.
- Requires a rigid installation. Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services on for more information.

### Farnley Setts

- Please note due to the nature of this product significant variation between stones can occur.
- Designed to be butt jointed when installed.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.

- The use of the correct installation method is critical for this product, please contact Group Technical Services for more information.

### Granite Eclipse Setts

- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces.
- Please note due to the nature of this product significant variation between stones can occur.
- The use of the correct installation method is critical for this product.
- Please note this requires a rigid installation and Marshalls WeatherPoint 365 is not suitable for use with this product. Marshalls Exterior Jointing Grout should be used instead.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.

### SYMPHONY Plus Drive & Tempo

- This product comes with specific installation guidelines. Full installation guideline can be downloaded from our website or contact Group Technical Services.
- When using SYMPHONY Plus, due to the weight of the units, mechanically aided lifting is essential.

### Drivesys Range

- It is essential that the Drivesys installation guidelines are followed.
- The Drivesys system is not always suitable for poor ground conditions, such as heavy clay areas. Therefore a soil test to check ground and permeability conditions should be completed prior to installation.
- We would recommend that you contact us prior to installation for further advice if ground conditions are not ideal.
- Drivesys must be installed with a solid edge restraint around the perimeter to retain the driveway.
- Drivesys units must come into full contact with the adjoining block when laid.
- Marshalls does not recommend installing Drivesys on a radius.
- For driveways with an incline of 15° or more or that has specific installation design requirements, please contact our Group Technical Services Team.

- Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once the seal has weathered blocks may appear lighter in colour.
- The correct amount of jointing compound is supplied with every pack of Drivesys. Some maintenance of this product will be required every year. See our Cleaning & Maintenance Guide for more details.
- After installation, scratches may be visible in the transportation seal. This will weather as the seal dissipates but care should be taken to reduce this during installation.
- Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

#### **Driveline Metro**

- Lay a standard driveway sub-base as a flexible installation.
- Driveline Metro can be a single colour driveway, or you can purchase a number of different colour packs to create a unique effect.
- 80mm block will ensure structural stability but absolutely no commercial vehicle should traffic this product.
- A full layer of kiln dried sand should be deposited before any compaction takes place, making sure all blocks are completely covered.
- When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing, or staining will occur.

#### **Lunar, Drivesett Argent**

- Lay a standard driveway sub-base as a flexible installation.
- When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing to avoid potential staining.

#### **Drivesett Coppice**

- Lay a standard driveway sub-base as a flexible installation.
- Take product from across a layer of the pack to achieve the correct colour blend.
- When laid randomly, colours will give the illusion of multiple block sizes.
- Potential to lay in different patterns, see Marshalls website for details.

#### **Driveline Nova**

- Lay a standard driveway sub-base as a flexible installation.
- The colours blend throughout the packs and installers must ensure appropriate mix is installed across the area.
- The two textures can be laid together or individually.

#### **Drivesett Natrale**

- Lay a standard driveway sub-base as a flexible installation.
- Supplied in single size packs for choice..

#### **Drivesett Tegula**

- Tegula is a trademark of SF Kooperation GmbH.
- Lay a standard driveway sub-base as a flexible installation.
- Perfect for driveways, paths and patios.
- This product is manufactured across the country. Colour may vary slightly across the manufacturing sites.
- Due to the manufacturing process, it is not recommended to mix project packs with single size packs.

#### **Savanna**

- Lay a standard driveway sub-base as a flexible installation.
- Supplied in single size packs for choice.

#### **Standard Block Paving**

- Lay a standard driveway sub-base as a flexible installation.
- This product is manufactured across the country. Colour may vary slightly across the manufacturing sites.

#### **Driveline Drain**

- Excavate a suitable concrete strip footing, normally 100mm lean mix, to support the Driveline Drain units, outfall and Rodding Boxes.
- Driveline Drain outfalls and Rodding Boxes should be installed first along with relevant pipework to existing underground pipework, soakaway or SuDs compliant system.
- For full installation guidelines and cleaning Driveline Drain please speak to Group Technical Services.

#### **Drivesett Argent Priora, Drivesett Tegula Priora**

- Priora is a trademark of UNI-International Bausysteme GmbH.
- Tegula is a trademark of SF Kooperation GmbH.
- Each 60mm block features the Marshalls unique, patented Priora nib.
- No drainage or soakaways required if installed correctly.
- Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN 13242 and BS EN 12620 to ensure compliance.
- Argent Only: – Supplied in mixed size packs, blocks are designed to be laid in a coursed laying pattern.
- Argent Only: – When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing.

#### **Driveline Priora**

- Priora is a trademark of UNI-International Bausysteme GmbH.
- Each 60mm block features the Marshalls unique, patented Priora nib.
- No drainage, tarmac or soakaways required if installed correctly.
- Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN 13242 and BS EN 12620 to ensure compliance.
- Numerous laying patterns available; contact Group Technical Services or see website.

### Permeable Paving Legislation

The increased risk of flooding has led to changes in government legislation, meaning that the environmental consequences of creating hard landscaped areas for vehicle parking must now be taken into consideration when planning your driveway project. Visit [www.communities.gov.uk](http://www.communities.gov.uk) for further information.

New and replacement driveways of any size are exempt from planning permission requirements when they use Sustainable Drainage Systems (SuDS).

Marshalls offers a full range of driveway products requiring no planning permission and having a positive impact on the environment.

The Priora Sustainable Drainage Systems (SuDS) has been specifically designed to manage heavy rainfall events. Each 60mm block features the Marshalls patented Priora nib design, which allows surface water to pass between the blocks into a specially calculated sub-base without compromising the structural performance of the driveway.

### Conditions required for Priora

#### Common to all Priora Driveways:

The Priora design drains water away safely in heavy rainfall without burdening the community drainage system.

If installed with the correct sub-base this permeable paving solution can be used in a front garden without obtaining planning permission.

Specific installation guidance must be followed.

The Priora System should not be attempted by the DIY enthusiast or untrained installer. It requires the careful calculation of a soil permeability test and appropriate use of specially graded sub-base aggregates.\*\* Should an installer wish to undertake training for the installation of this product please call the Marshalls Helpline on 0345 820 5000 for further information.

Visit the Marshalls website to find your nearest Marshalls Register Installers trained to install Priora Systems, or call 0345 820 5000.

The grade of Priora featured in this brochure is only intended for normal domestic vehicles and pedestrian traffic, though occasional delivery vehicles over 3.5 tonnes gross weight can be tolerated.\*

The Domestic Priora System is only intended for driveways or paths where infiltration is required only in the immediate Priora paved area and not from other surrounding paved or roofed areas (see rainwater catchment area guideline opposite).

In some parts of the country there are ground conditions where infiltration could adversely affect foundations to houses, therefore, if in doubt seek advice from a specialist or the local authority building control department.

Properties constructed pre 1920 may not have been built on traditional concrete foundation, therefore in this case, Marshalls Domestic Priora System should not be installed.

Check for services, Priora must not be installed if gas or electric services run through intended Priora areas.

Priora is a trademark of UNI-International Bausysteme GmbH.

### Guidelines for installing Priora

#### Surface Gradient

The intended Priora area must fall away from the owner's house and any other buildings in the immediate vicinity.

If the driveway exceeds 20m in length and/or has a gradient greater than 1 in 100 then please contact Group Technical Services.\*

The top surface of the driveway should finish at least 150mm below any adjoining wall DPC level.

#### Existing Foundations

If your house lies adjacent to or less than 600mm from the proposed Domestic Priora driveway area, establish depth of house foundation before undertaking any soil test/Priora installation. The house foundation top surface must be 600mm (minimum) below the finished level of the top of the proposed Priora driveway.

#### Soil Strength and Permeability

Marshalls Domestic Priora System must be laid on a subgrade which has previously had an established and adequate existing driveway and an area which has a subgrade soil strength greater than 5%.

The Domestic Priora System is only suitable for soil areas where infiltration applies and the test criteria have been met as per the standard permeability test.

For the standard permeability a test hole should be dug for every 20m<sup>2</sup> of driveway. There should be a minimum of two holes. Holes/pits should be spaced evenly in relation to the proposed Priora area.\*

### Discharge onto Roadway

The Domestic Priora area must not discharge onto surrounding public roadway and pathways and towards any buildings.

### Rainwater Catchment Area

No adjoining surface areas (rainwater pipes, roof areas, etc) must drain onto and into the proposed Domestic Priora driveway area, however, small areas such as door steps and garage areas are acceptable providing they do not exceed 5% of the driveway area.

Guideline: Catchment area = driveway area.

Catchment area = drained surface area.

### Aggregates

Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN13242 and BS EN12620 to ensure compliance.

### Trees

When installing in close proximity to existing trees, tree roots smaller than 25mm diameter may be pruned back, preferably to a side branch, using a suitable pair of secateurs or hand saw. Roots larger than 25mm should only be severed following consultation with an arboriculturist, as they may be essential to the tree's health and stability. Protection of the pavement will also be required, hence the requirement of a permeable root barrier system such as the Geoweb bio barrier system ([www.Fiberweb.com](http://www.Fiberweb.com)) or similar which is non surface protruding, and therefore, does not present a trip hazard once installed.

### Health and Safety

It is possible that more excavation for a Priora driveway may be required than that of a driveway constructed of traditional block paving, therefore, care must be taken when excavating ground to a deeper level. Particular care must be taken to protect the sites from children and partially sighted persons and for collapse of adjoining features such as boundary walls/fences.

Check for services, if they run through intended Priora areas, the service provider must be consulted before work commences.

Care must be taken when constructing over sewer, rainwater pipes and water pipes to ensure that the services remain supported for their full length by undisturbed material and are surrounded on the remaining sides by a minimum of 150mm of 6mm material to protect the service.



## Walling, Steps & Finishing Notes

### Common to all Marshalls Walling Products:

- Marshalls recommends the use of Copings and Caps with all Walling Products. They also protect walls against the staining effect of rain for a period of time.

### Common to all face Veneer Walling Products:

- Where a facing/veneer wall is used with a garden/soil/ planting/aggregates behind it, a membrane must be installed at the rear of the wall to stop moisture draw through.
- Walls over 1.5m high need mechanical fixing.
- The correct drainage (such as weepholes) should be considered for any walling retaining soil.

### Sawn Versuro

- Faced on all sides.
- An external thin bed adhesive, is recommended.

### Traditional Natural Stone

- A 10mm joint width is recommended with this product.
- Due to tolerance of product, some sorting will be required before commencing installation.
- For use in constructing a wall no more than 1.5m in height.
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Group Technical Services.

### Stoneface Textured

- Due to tolerance of product, some sorting will be required before commencing installation.
- Thickness is calibrated to 15mm +/- 1.5mm.

### Stoneface Sawn Veneer

- 1.5m height before mechanical fixing is needed.

### Stoneface Drystack Veneer

- Panels are in a Z cut format to hide joints, for a seamless finish. Please note there is a slight tolerance in this and some units will require some minor modification to reduce gaps.
- The mirrored inserts used in Nero Quartzite Mirror are made from brushed steel.

### Argent

- Please note this walling is only faced on one side.
- Corner Quoin Ends can be ordered via Marshalls Split Pack Service.
- An external thin bed adhesive is recommended.

### Croft Stone

- This walling is ideal for retaining walls up to 6 courses, but should never be used as a freestanding or dividing wall.
- Minimum radius that can be created is 750mm on the bottom course.
- Please Note: This product cannot form a right angle.

### Marshalite

- A 10mm joint width is recommended with this product.
- Product is faced on 1 side, Quoin ends are not available.

### Tegula

- A 10mm joint width is recommended with this product.

### Phoenix Facing Brick

- A 10mm joint width is recommended with this product.

### Copings & Caps

- No drip grooves included on our range of copings.

### Kerbs & Edging

- The perfect edge restraints to co-ordinate with the Driveway products or contrast with other products within the Driveways range.
- Tegula and Savanna Kerb have a 45o splay.
- Smallest radius for an internal kerb is 0.46m.
- Smallest radius for external kerb is 0.62m.
- When laying Keykerb, KL protrudes 100-125mm and KS by 25-50mm.
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Group Technical Services.

### Pedestals

- For best results, ensure you use the rubber base pads on the sub-base to keep the pedestals in place and rubber head pads on the head of the pedestal to reduce noise and minimise movement of the paving units.
- If laying porcelain paving onto a roof terrace or where wind loading may be a concern, apply a small dab of Sika EBT onto both sides of the rubber head pads before installing the paving unit to minimise movement.
- Roughly lay out sufficient pedestals for 4 or 5 paving units at a time.
- For corner units, or when a cut would otherwise reduce the paving unit to half of its original size, reduce the pedestal size by cutting along the bottom of the base unit.
- Lay the paving units, ensuring the pedestals are placed in the correct formation to fully support the unit.
- When using plan sizes exceeding 450x450x50, advice should be taken on the suitability and use of the chosen product. For further information, please contact Group Technical Services.

## Hard Landscape Guarantee

### Hard Landscape Guarantee Conditions

Marshalls products are manufactured to the highest standards. The Hard Landscape Guarantee is only available for domestic projects installed by a Marshalls Register Installer where a guarantee has been purchased; the cost of the guarantee is £50 + VAT up to the first £5,000 of installed value and £50 + vat for each £5,000 thereafter. The Hard Landscape Guarantee can only be issued by Marshalls upon receipt of a correctly completed Guarantee Request Form and the relevant fee.

The Guarantee Request Form is available from your Marshalls Register installer and the relevant sections must be completed by both homeowner and installer. The Hard Landscape Guarantee covers Marshalls branded products. Marshalls hereby warrants, that in the event of the failure of Marshalls products used in the construction of a domestic driveway or patio installed at the address named on the Guarantee, replacement products will be supplied free of charge for a period of 10 years commencing from the installation date. Additionally, the labour costs incurred during the replacement of these faulty materials, and/or labour costs arising from faulty workmanship, will be free of charge for a period of 5 years commencing from the installation date. This guarantee is subject to the terms and conditions detailed on the Marshalls website. This guarantee is offered as an additional benefit by Marshalls and in no way affects any parties' statutory rights.

The house owner is responsible for applications for any relevant planning permission. Marshalls do not accept liability for application of planning permission on any project covered by the Marshalls Hard Landscape Guarantee or otherwise.

In the unlikely event of products reaching you in less than satisfactory condition, you should notify the stockist immediately with details of the product and batch codes printed on the packaging. In addition to this, responsibility for costs incurred for uplifting and relaying defective products may be prejudiced if, upon reasonable inspection, the defect ought to have been apparent prior to laying.

Pendle, Textured Utility, Utility and Richmond pavings are intended to serve the 'budget' end of the market and as such should not be confused with premium products such as Heritage or Saxon. In addition to this, because of their limited protection in transit, there is a significant probability of pavings bearing scratch marks to the face. Due to local manufacturing, precise colours and face finishes may vary and it is recommended that pavings from different factories are not mixed on site. Pendle, Textured Utility, Utility and Richmond therefore fall outside the scope of The Hard Landscape Guarantee.

For the avoidance of doubt the performance of Marshalls jointing compounds are excluded from the Hard Landscape Guarantee.

## Split Pack Service

**When designing your garden or driveway there may be times when you do not need a full pack of product, for example when:**

- Finishing an area of paving.
- Creating a decorative border.
- Adding to an existing project.

Marshalls split pack service means that Marshalls stockists and installers can order less than full-pack quantities for most of the products in this brochure.

- Check that the product you need has split packs marked down on the information page in the brochure.
- Carefully calculate the number of each item required, making an allowance for cutting and wastage, however, some may be mixed size packs and although you can order less than pack quantity, this will still be of mixed sizes but just less square metres than in a normal pack.
- Give this to your local stockist who will place your order direct with Marshalls for delivery by express carrier.

A premium is charged for this service, so it may be more economical to adjust the amount to the nearest full pack – especially if you are considering extending the project at a later date. Please note: If ordering a product to extend an existing project, it is likely that batch numbers will be different and the colour may vary.

For charge information please contact the Marshalls sales team or your local merchant.

## Acknowledgements

### Marshalls Register Members

**A Dunlop Landscapes, Prestwick**

01292 471076  
alanfdunlop63@gmail.com

**All Seasons Landscapes, Stockton-On-Tees**

01740 605019  
allseasonslandscapes@aol.co.uk  
www.allseasonsbespokelandscapes.co.uk

**Arun Driveways, Littlehampton**

01903 650255  
arundriveways@arundriveways.co.uk  
www.arundriveways.co.uk

**Brockstone Landscape Construction Ltd, Liverpool**

07970 292325  
info@brockstone.co.uk  
www.brockstone.co.uk

**Discover Paving & Landscaping, Cheshire**

www.discoverpaving.co.uk

**D Stapleton Brickwork, Rochdale**

07791 009947  
dstapletonbrickwork@hotmail.com

**Esse Landscapes, Crawley**

01342 714095  
sales@esseland.co.uk  
www.esseland.co.uk

**Garden TLC Ltd, Oldham**

01706 880177  
gardentlc3@gmail.com  
www.gardentlc.net

**Habitat Landscapes Ltd, Bedford**

01525 860263  
info@habitatlandscapes.co.uk  
www.habitatlandscape.co.uk

**Harpenden Block Paving Co, Harpenden**

01582 765268  
info@harpendenblockpaving.co.uk  
www.harpendenblockpaving.co.uk

**J & D Castle, Chichester**

01243 572181  
jdcastledriveways@yahoo.co.uk

**J A Dodds Landscapes, Choppington**

07872 922242  
jadoddslandscapes@yahoo.com  
www.jadoddslandscapes.com

**James Bird Landscapes Ltd, Sheffield**

0114 2589290  
enquiries@jabird.co.uk  
www.jabird.co.uk

**Jason Clarke Classic Paving, Stockport**

0161 871 8573  
www.jc-classicpaving.co.uk

**Landscapes of Malvern, Malvern**

01684 578733  
landscapesmalvern@yahoo.co.uk  
www.landscapesofmalvern.com

**Newleaf Landscapes, Alfterton**

01773 603790  
www.newleaf-landscape.co.uk

**P & K Landscape & Building Solutions, Haddington**

07852 295520  
pandk.landscape@sky.com  
www.pandklandscape.co.uk

**Perfect Paving Ltd, Keston**

01689 873333  
info@perfectpaving.com  
www.perfectpaving.com

**R & A Garden Landscapes Ltd, Birmingham**

Tel: 0121 537 7273  
info@ra-gardenlandscapes.co.uk  
www.ra-gardenlandscapes.co.uk

**Sandstone Landscapes Construction, York**

01904 422735  
www.sandstonelandscapes.co.uk

**Signature Landscapes Design & Build, Altrincham**

0161 670 1747  
info@signaturelandscapesdesignandbuild.com  
signaturelandscapesdesignandbuild.com

### How to contact Marshalls

Whether you would like product or technical advice, an update on your order, to find out more about our registered installers or to make a complaint, we can help.

Call: **0345 820 5000**

Website:

**Marshalls.co.uk/gardens-and-driveways**

For ideas and inspiration, product information and to order samples and products online, please visit our website.

To find your nearest Marshalls stockist or find a recommended installer, call **0345 820 5000** (*calls may be monitored or recorded*).

For information, advice and useful tips to realise your own ideas, visit **[Marshalls.co.uk/gardens-and-driveways](https://marshalls.co.uk/gardens-and-driveways)**

